



US009100431B2

Exhibit 8

(12) **United States Patent**  
**Oliphant et al.**

(10) **Patent No.:** **US 9,100,431 B2**

(45) **Date of Patent:** **\*Aug. 4, 2015**

(54) **COMPUTER PROGRAM PRODUCT AND APPARATUS FOR MULTI-PATH REMEDIATION**

USPC ..... 726/1, 11-14, 22-25  
See application file for complete search history.

(71) Applicant: **SecurityProfiling, LLC**, Garland, TX (US)

(56) **References Cited**

(72) Inventors: **Brett M. Oliphant**, Plano, TX (US);  
**John P. Blignaut**, West Lafayette, IN (US)

U.S. PATENT DOCUMENTS

5,008,814 A 4/1991 Mathur  
5,210,854 A 5/1993 Beaverton et al.

(Continued)

(73) Assignee: **SecurityProfiling, LLC**, Garland, TX (US)

FOREIGN PATENT DOCUMENTS

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

EP 1294128 A1 3/2003  
JP 2002366525 A 12/2002

(Continued)

This patent is subject to a terminal disclaimer.

OTHER PUBLICATIONS

(21) Appl. No.: **14/499,230**

(22) Filed: **Sep. 28, 2014**

(65) **Prior Publication Data**

US 2015/0040231 A1 Feb. 5, 2015

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 14/138,014, filed on Dec. 21, 2013, which is a continuation of application No. 10/882,852, filed on Jul. 1, 2004, now abandoned.

(60) Provisional application No. 60/484,085, filed on Jul. 1, 2003.

(51) **Int. Cl.**  
**G06F 21/57** (2013.01)  
**H04L 29/06** (2006.01)

(Continued)

(52) **U.S. Cl.**  
CPC ..... **H04L 63/1441** (2013.01); **G06F 21/50** (2013.01); **G06F 21/55** (2013.01);  
(Continued)

(58) **Field of Classification Search**  
CPC ..... G06F 21/05; H04L 29/06; H04L 63/02; H04L 63/14

Viega, John, et al. "ITS4: A static vulnerability scanner for C and C++ code." Computer Security Applications, 2000. ACSAC'00. 16th Annual Conference. IEEE, 2000.\*

(Continued)


*Primary Examiner* — Madhuri Herzog

(74) *Attorney, Agent, or Firm* — Brian Owens, Esq.

(57) **ABSTRACT**

A system, method, and computer program product are provided for a database associating a plurality of device vulnerabilities to which computing devices can be subject with a plurality of remediation techniques that collectively remediate the plurality of device vulnerabilities. Each of the device vulnerabilities is associated with at least one remediation technique. Each remediation technique associated with a particular device vulnerability remediates that particular vulnerability. Further, each remediation technique has a remediation type are selected from the type group consisting of patch, policy setting, and configuration option. Still yet, a first one of the device vulnerabilities is associated with at least two alternative remediation techniques.

**20 Claims, 12 Drawing Sheets**



## US 9,100,431 B2

Page 2

- (51) **Int. Cl.**  
**G06F 21/55** (2013.01)  
**G06F 21/50** (2013.01)
- (52) **U.S. Cl.**  
CPC ..... **G06F 21/554** (2013.01); **G06F 21/577**  
(2013.01); **H04L 63/14** (2013.01); **H04L**  
**63/1408** (2013.01); **H04L 63/1416** (2013.01);  
**H04L 63/1433** (2013.01); **H04L 63/20**  
(2013.01); **H04L 63/02** (2013.01); **H04L**  
**63/0263** (2013.01)
- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- |              |         |                     |              |         |                        |
|--------------|---------|---------------------|--------------|---------|------------------------|
| 5,249,705 A  | 10/1993 | Gates               | 6,219,786 B1 | 4/2001  | Cunningham et al.      |
| 5,253,782 A  | 10/1993 | Gates et al.        | 6,226,372 B1 | 5/2001  | Beebe et al.           |
| 5,253,932 A  | 10/1993 | Nesovic             | 6,230,199 B1 | 5/2001  | Revashetti et al.      |
| 5,272,754 A  | 12/1993 | Boerbert            | 6,230,288 B1 | 5/2001  | Kuo et al.             |
| 5,276,735 A  | 1/1994  | Boebert et al.      | 6,240,531 B1 | 5/2001  | Spilo et al.           |
| 5,335,346 A  | 8/1994  | Fabbio              | 6,249,585 B1 | 6/2001  | McGrew et al.          |
| 5,361,359 A  | 11/1994 | Tajalli et al.      | 6,266,774 B1 | 7/2001  | Sampath et al.         |
| 5,499,297 A  | 3/1996  | Boebert             | 6,266,811 B1 | 7/2001  | Nabahi                 |
| 5,502,766 A  | 3/1996  | Boebert et al.      | 6,267,039 B1 | 7/2001  | Czarnecki              |
| 5,557,346 A  | 9/1996  | Lipner et al.       | 6,269,456 B1 | 7/2001  | Hodges et al.          |
| 5,557,765 A  | 9/1996  | Lipner et al.       | 6,272,632 B1 | 8/2001  | Carman et al.          |
| 5,596,718 A  | 1/1997  | Boebert et al.      | 6,275,942 B1 | 8/2001  | Bernhard et al.        |
| 5,612,503 A  | 3/1997  | Sepp                | 6,282,546 B1 | 8/2001  | Gleichauf et al.       |
| 5,640,454 A  | 6/1997  | Lipner et al.       | 6,298,422 B1 | 10/2001 | Spilo et al.           |
| 5,662,291 A  | 9/1997  | Sepp et al.         | 6,298,445 B1 | 10/2001 | Shostack et al.        |
| 5,683,638 A  | 11/1997 | Crigler et al.      | 6,301,658 B1 | 10/2001 | Koehler                |
| 5,696,907 A  | 12/1997 | Tom                 | 6,301,668 B1 | 10/2001 | Gleichauf et al.       |
| 5,745,573 A  | 4/1998  | Lipner et al.       | 6,301,699 B1 | 10/2001 | Hollander et al.       |
| 5,765,153 A  | 6/1998  | Benantar et al.     | 6,314,190 B1 | 11/2001 | Zimmermann             |
| 5,796,836 A  | 8/1998  | Markham             | 6,321,293 B1 | 11/2001 | Fabrizio et al.        |
| 5,819,275 A  | 10/1998 | Badger et al.       | 6,321,334 B1 | 11/2001 | Jerger et al.          |
| 5,822,435 A  | 10/1998 | Boebert et al.      | 6,321,336 B1 | 11/2001 | Applegate et al.       |
| 5,831,987 A  | 11/1998 | Spilo               | 6,324,656 B1 | 11/2001 | Gleichauf et al.       |
| 5,864,683 A  | 1/1999  | Boebert et al.      | 6,332,195 B1 | 12/2001 | Green et al.           |
| 5,867,647 A  | 2/1999  | Haigh et al.        | 6,336,186 B1 | 1/2002  | Dyksterhouse et al.    |
| 5,892,903 A  | 4/1999  | Klaus               | 6,343,362 B1 | 1/2002  | Ptacek et al.          |
| 5,913,024 A  | 6/1999  | Green et al.        | 6,345,361 B1 | 2/2002  | Jerger et al.          |
| 5,915,087 A  | 6/1999  | Hammond et al.      | 6,351,794 B1 | 2/2002  | Spilo et al.           |
| 5,918,018 A  | 6/1999  | Gooderum et al.     | 6,353,446 B1 | 3/2002  | Vaughn et al.          |
| 5,950,195 A  | 9/1999  | Stockwell et al.    | 6,357,010 B1 | 3/2002  | Viets et al.           |
| 5,956,403 A  | 9/1999  | Lipner et al.       | 6,370,578 B2 | 4/2002  | Revashetti et al.      |
| 5,968,133 A  | 10/1999 | Latham et al.       | 6,385,458 B1 | 5/2002  | Papadimitriou et al.   |
| 5,983,350 A  | 11/1999 | Minear et al.       | 6,393,424 B1 | 5/2002  | Hallman et al.         |
| 5,991,406 A  | 11/1999 | Lipner et al.       | 6,402,689 B1 | 6/2002  | Scarantino et al.      |
| 5,991,856 A  | 11/1999 | Spilo et al.        | 6,415,321 B1 | 7/2002  | Gleichauf et al.       |
| 5,991,881 A  | 11/1999 | Conklin et al.      | 6,418,554 B1 | 7/2002  | Delo et al.            |
| 5,999,179 A  | 12/1999 | Kekic et al.        | 6,442,686 B1 | 8/2002  | McArdle et al.         |
| 6,003,084 A  | 12/1999 | Green et al.        | 6,453,347 B1 | 9/2002  | Revashetti et al.      |
| 6,005,942 A  | 12/1999 | Chan et al.         | 6,453,419 B1 | 9/2002  | Flint et al.           |
| 6,006,035 A  | 12/1999 | Nabahi              | 6,457,076 B1 | 9/2002  | Cheng et al.           |
| 6,028,514 A  | 2/2000  | Lemelson et al.     | 6,460,126 B1 | 10/2002 | Spilo et al.           |
| 6,029,256 A  | 2/2000  | Kouznetsov          | 6,470,384 B1 | 10/2002 | ●'Brien et al.         |
| 6,035,423 A  | 3/2000  | Hodges et al.       | 6,473,800 B1 | 10/2002 | Jerger et al.          |
| 6,044,466 A  | 3/2000  | Anand et al.        | 6,477,550 B1 | 11/2002 | Balasubramaniam et al. |
| 6,055,527 A  | 4/2000  | Badger et al.       | 6,477,651 B1 | 11/2002 | Teal                   |
| 6,064,811 A  | 5/2000  | Spilo et al.        | 6,493,756 B1 | 12/2002 | ●'Brien et al.         |
| 6,072,942 A  | 6/2000  | Stockwell et al.    | 6,496,875 B2 | 12/2002 | Cheng et al.           |
| 6,074,727 A  | 6/2000  | Miller et al.       | 6,499,107 B1 | 12/2002 | Gleichauf et al.       |
| 6,084,510 A  | 7/2000  | Lemelson et al.     | 6,499,109 B1 | 12/2002 | Balasubramaniam et al. |
| 6,122,657 A  | 9/2000  | Hoffman, Jr. et al. | 6,510,448 B1 | 1/2003  | Churchyard             |
| 6,131,163 A  | 10/2000 | Wiegel              | 6,513,122 B1 | 1/2003  | Magdych et al.         |
| 6,134,601 A  | 10/2000 | Spilo et al.        | 6,523,023 B1 | 2/2003  | Sonnenberg             |
| 6,144,934 A  | 11/2000 | Stockwell et al.    | 6,526,513 B1 | 2/2003  | Shrader et al.         |
| 6,151,643 A  | 11/2000 | Cheng et al.        | 6,535,227 B1 | 3/2003  | Fox et al.             |
| 6,173,180 B1 | 1/2001  | Hussain et al.      | 6,542,943 B2 | 4/2003  | Cheng et al.           |
| 6,182,226 B1 | 1/2001  | Reid et al.         | 6,546,493 B1 | 4/2003  | Magdych et al.         |
| 6,185,689 B1 | 2/2001  | Todd, Sr. et al.    | 6,550,012 B1 | 4/2003  | Villa et al.           |
| 6,195,352 B1 | 2/2001  | Cushman et al.      | 6,553,377 B1 | 4/2003  | Eschelbeck et al.      |
| 6,205,552 B1 | 3/2001  | Fudge               | 6,553,378 B1 | 4/2003  | Eschelbeck             |
| 6,208,999 B1 | 3/2001  | Spilo et al.        | 6,567,808 B1 | 5/2003  | Eschelbeck et al.      |
| 6,209,101 B1 | 3/2001  | Mitchem et al.      | 6,584,504 B1 | 6/2003  | Choe                   |
| 6,219,707 B1 | 4/2001  | Gooderum et al.     | 6,584,508 B1 | 6/2003  | Epstein et al.         |
|              |         |                     | 6,587,888 B1 | 7/2003  | Chieu et al.           |
|              |         |                     | 6,601,091 B1 | 7/2003  | Spilo                  |
|              |         |                     | 6,604,139 B1 | 8/2003  | Sajina et al.          |
|              |         |                     | 6,608,817 B1 | 8/2003  | Ivory                  |
|              |         |                     | 6,611,869 B1 | 8/2003  | Eschelbeck et al.      |
|              |         |                     | 6,611,925 B1 | 8/2003  | Spear                  |
|              |         |                     | 6,615,266 B1 | 9/2003  | Hoffman, Jr. et al.    |
|              |         |                     | 6,622,150 B1 | 9/2003  | Kouznetsov et al.      |
|              |         |                     | 6,633,835 B1 | 10/2003 | Moran et al.           |
|              |         |                     | 6,636,972 B1 | 10/2003 | Ptacek et al.          |
|              |         |                     | 6,640,307 B2 | 10/2003 | Viets et al.           |
|              |         |                     | 6,654,751 B1 | 11/2003 | Schmugar et al.        |
|              |         |                     | 6,654,782 B1 | 11/2003 | ●'Brien et al.         |
|              |         |                     | 6,658,571 B1 | 12/2003 | ●'Brien et al.         |
|              |         |                     | 6,663,000 B1 | 12/2003 | Muttik et al.          |
|              |         |                     | 6,665,269 B1 | 12/2003 | Schmitz                |
|              |         |                     | 6,668,054 B1 | 12/2003 | Contino et al.         |

## US 9,100,431 B2

Page 3

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,668,289 B2	12/2003	Cheng et al.	6,836,860 B2	12/2004	Muttik et al.
6,671,368 B1	12/2003	Contino et al.	6,839,852 B1	1/2005	Pantuso et al.
6,671,812 B1	12/2003	Balasubramaniam et al.	6,842,860 B1	1/2005	Branstad et al.
6,674,738 B1	1/2004	Yildiz et al.	6,842,861 B1	1/2005	Cox et al.
6,675,042 B2	1/2004	Swerdlow et al.	6,843,190 B1	1/2005	LaPierre-McAfee
6,678,887 B1	1/2004	Hallman et al.	6,845,449 B1	1/2005	Carman et al.
6,684,329 B1	1/2004	Epstein et al.	6,851,058 B1	2/2005	Gartside
6,687,833 B1	2/2004	Osborne et al.	6,851,061 B1	2/2005	Holland, III et al.
6,693,888 B2	2/2004	Cafarelli et al.	6,859,793 B1	2/2005	Lambiase
6,697,337 B1	2/2004	Cafarelli et al.	6,862,581 B1	3/2005	Lambiase
6,697,870 B1	2/2004	Cafarelli, III et al.	6,868,069 B2	3/2005	Knobbe et al.
6,697,950 B1	2/2004	Ko	6,868,413 B1	3/2005	Grindrod et al.
6,701,440 B1	3/2004	Kim et al.	6,871,279 B2	3/2005	Sames et al.
6,701,441 B1	3/2004	Balasubramaniam et al.	6,874,018 B2	3/2005	Wu
6,704,874 B1	3/2004	Porras et al.	6,879,812 B2	4/2005	Agrawal et al.
6,707,794 B1	3/2004	Leong et al.	6,886,099 B1	4/2005	Smithson et al.
6,708,292 B1	3/2004	Mangasarian	6,892,227 B1	5/2005	Elwell et al.
6,711,127 B1	3/2004	Gorman et al.	6,892,241 B2	5/2005	Kouznetsov et al.
6,714,513 B1	3/2004	Joiner et al.	6,895,387 B1	5/2005	Roberts et al.
6,718,469 B2	4/2004	Pak et al.	6,895,513 B1	5/2005	Balasubramaniam et al.
6,721,847 B2	4/2004	Hursey	6,898,712 B2	5/2005	Vignoles et al.
6,725,377 B1	4/2004	Kouznetsov	6,898,715 B1	5/2005	Smithson et al.
6,728,219 B1	4/2004	Leong et al.	6,904,521 B1	6/2005	Jivsov
6,728,885 B1	4/2004	Taylor et al.	6,907,396 B1	6/2005	Muttik et al.
6,732,157 B1	5/2004	Gordon et al.	6,907,531 B1	6/2005	Dodd et al.
6,735,629 B1	5/2004	Cafarelli, III et al.	6,915,426 B1	7/2005	Carman et al.
6,735,703 B1	5/2004	Kilpatrick et al.	6,920,493 B1	7/2005	Schwab
6,742,124 B1	5/2004	Kilpatrick et al.	6,920,558 B2	7/2005	Sames et al.
6,742,128 B1	5/2004	Joiner	6,922,776 B2	7/2005	Cook et al.
6,745,192 B1	6/2004	Libenzi	6,928,555 B1	8/2005	Drew
6,745,311 B2	6/2004	Fabrizio et al.	6,931,540 B1	8/2005	Edwards et al.
6,748,534 B1	6/2004	Gryaznov et al.	6,931,546 B1	8/2005	Kouznetsov et al.
6,751,627 B2	6/2004	Sternin	6,934,857 B1	8/2005	Bartleson et al.
6,751,718 B1	6/2004	Manin	6,938,161 B2	8/2005	Vignoles et al.
6,754,488 B1	6/2004	Won et al.	6,941,358 B1	9/2005	Joiner et al.
6,754,705 B2	6/2004	Joiner et al.	6,944,775 B2	9/2005	Barton et al.
6,754,896 B2	6/2004	Mishra et al.	6,947,986 B1	9/2005	Huang et al.
6,757,727 B1	6/2004	Ivory	6,950,933 B1	9/2005	Cook et al.
6,757,822 B1	6/2004	Feiertag et al.	6,950,947 B1	9/2005	Purtell et al.
6,757,830 B1	6/2004	Tarbotton et al.	6,952,779 B1	10/2005	Cohen et al.
6,760,845 B1	7/2004	Cafarelli et al.	6,957,348 B1	10/2005	Flowers et al.
6,763,403 B2	7/2004	Cheng et al.	6,959,418 B1	10/2005	Churchyard
6,763,466 B1	7/2004	Glover	6,961,783 B1	11/2005	Cook et al.
6,766,458 B1	7/2004	Harris et al.	6,963,978 B1	11/2005	Muttik et al.
6,768,721 B1	7/2004	Schmitz et al.	6,964,014 B1	11/2005	Parish
6,768,991 B2	7/2004	Hearnden	6,965,928 B1	11/2005	Cox et al.
6,769,016 B2	7/2004	Rothwell et al.	6,966,059 B1	11/2005	Shetty et al.
6,772,332 B1	8/2004	Boebert et al.	6,968,461 B1	11/2005	Lucas et al.
6,772,334 B1	8/2004	Glawitsch	6,970,697 B2	11/2005	Kouznetsov et al.
6,772,345 B1	8/2004	Shetty	6,970,823 B1	11/2005	Yago et al.
6,775,704 B1	8/2004	Watson et al.	6,971,023 B1	11/2005	Makinson et al.
6,775,780 B1	8/2004	Muttik	6,973,577 B1	12/2005	Kouznetsov
6,779,033 B1	8/2004	Watson et al.	6,973,578 B1	12/2005	McChionie
6,782,421 B1	8/2004	Soles et al.	6,976,068 B2	12/2005	Kadam et al.
6,782,527 B1	8/2004	Kouznetsov et al.	6,976,168 B1	12/2005	Branstad et al.
6,785,237 B1	8/2004	Sufleta	6,978,454 B2	12/2005	Singleton
6,785,820 B1	8/2004	Muttik et al.	6,980,992 B1	12/2005	Hursey et al.
6,785,821 B1	8/2004	Teal	6,981,280 B2	12/2005	Grupe
6,789,082 B2	9/2004	Sternin et al.	6,983,325 B1	1/2006	Watson et al.
6,789,117 B1	9/2004	Joiner et al.	6,983,326 B1	1/2006	Vigue et al.
6,789,201 B2	9/2004	Barton et al.	6,983,380 B2	1/2006	Ko
6,789,202 B1	9/2004	Ko et al.	6,983,486 B1	1/2006	Hanchett
6,792,543 B2	9/2004	Pak et al.	6,986,160 B1	1/2006	LeGrow
6,799,197 B1	9/2004	Shetty et al.	6,987,963 B2	1/2006	Kouznetsov et al.
6,801,756 B1	10/2004	Agrawal et al.	6,988,209 B1	1/2006	Balasubramaniam et al.
6,801,940 B1	10/2004	Moran et al.	6,990,591 B1	1/2006	Pearson
6,802,012 B1	10/2004	Smithson et al.	6,993,660 B1	1/2006	Libenzi et al.
6,810,017 B1	10/2004	Leong et al.	7,000,247 B2	2/2006	Banzhof
6,814,842 B1	11/2004	Yago et al.	7,000,250 B1	2/2006	Kuo et al.
6,816,896 B2	11/2004	Fortin et al.	7,003,561 B1	2/2006	Magdych et al.
6,816,973 B1	11/2004	Gleichauf et al.	7,007,302 B1	2/2006	Jagger et al.
6,823,460 B1	11/2004	Hollander et al.	7,010,696 B1	3/2006	Cambridge et al.
6,826,608 B1	11/2004	Sheth et al.	7,013,330 B1	3/2006	Tarbotton et al.
6,826,698 B1	11/2004	Minkin et al.	7,016,939 B1	3/2006	Rothwell et al.
6,834,301 B1	12/2004	Hanchett	7,016,948 B1	3/2006	Yildiz
			7,023,861 B2	4/2006	Makinson et al.
			7,024,432 B2	4/2006	Muttik et al.
			7,024,694 B1	4/2006	Ko
			7,035,544 B1	4/2006	Won

## US 9,100,431 B2

Page 4

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,036,147 B1	4/2006	Hursey	7,210,168 B2	4/2007	Hursey et al.
7,039,702 B1	5/2006	Churchyard	7,213,153 B2	5/2007	Hollander et al.
7,039,721 B1	5/2006	Wu et al.	7,213,260 B2	5/2007	Judge
7,043,024 B1	5/2006	Dinsmore et al.	7,216,343 B2	5/2007	Das et al.
7,043,634 B2	5/2006	Wolff et al.	7,225,466 B2	5/2007	Judge
7,043,756 B2	5/2006	Tsafnat et al.	7,228,565 B2	6/2007	Wolff et al.
7,043,758 B2	5/2006	Grupe	7,228,566 B2	6/2007	Caceres et al.
7,047,297 B2	5/2006	Huntington et al.	7,231,440 B1	6/2007	Kouznetsov et al.
7,051,077 B2	5/2006	Lin	7,231,637 B1	6/2007	McEwan
7,051,097 B1	5/2006	Pecina	7,231,664 B2	6/2007	Markham et al.
7,051,365 B1	5/2006	Bellovin	7,231,665 B1	6/2007	McArdle et al.
7,055,036 B2	5/2006	Kouznetsov et al.	7,234,163 B1	6/2007	Rayes et al.
7,058,975 B2	6/2006	Edwards et al.	7,234,165 B1	6/2007	Hursey et al.
7,062,555 B1	6/2006	Kouznetsov et al.	7,234,167 B2	6/2007	Teblyashkin et al.
7,062,783 B1	6/2006	Joiner	7,234,168 B2	6/2007	Gupta et al.
7,065,790 B1	6/2006	Gryaznov	7,237,008 B1	6/2007	Tarbotton et al.
7,069,316 B1	6/2006	Gryaznov	7,237,122 B2	6/2007	Kadam et al.
7,069,330 B1	6/2006	McArdle et al.	7,237,222 B1	6/2007	Nedbal et al.
7,069,581 B2	6/2006	Fu et al.	7,237,258 B1	6/2007	Pantuso et al.
7,069,594 B1	6/2006	Bolin	7,240,102 B1	7/2007	Kouznetsov et al.
7,073,198 B1	7/2006	Flowers et al.	7,240,193 B2	7/2007	Hatfalvi et al.
7,076,650 B1	7/2006	Sonnenberg	7,243,148 B2	7/2007	Keir et al.
7,076,801 B2	7/2006	Gong et al.	7,243,373 B2	7/2007	Muttik et al.
7,080,000 B1	7/2006	Cambridge	7,249,187 B2	7/2007	Sobel et al.
7,080,141 B1	7/2006	Baekelmans et al.	7,251,685 B1	7/2007	Yildiz
7,080,408 B1	7/2006	Pak et al.	7,251,830 B1	7/2007	Melchione
7,085,931 B1	8/2006	Smith et al.	7,254,811 B2	8/2007	Kouznetsov et al.
7,085,934 B1	8/2006	Edwards	7,257,630 B2	8/2007	Cole et al.
7,086,050 B2	8/2006	Barton et al.	7,257,773 B1	8/2007	Jagger et al.
7,089,259 B1	8/2006	Kouznetsov et al.	7,257,842 B2	8/2007	Barton et al.
7,089,302 B1	8/2006	Churchyard et al.	7,263,561 B1	8/2007	Green et al.
7,093,002 B2	8/2006	Wolff et al.	7,263,718 B2	8/2007	O'Brien et al.
7,093,121 B2	8/2006	Barton et al.	7,266,843 B2	9/2007	Tarbotton et al.
7,093,292 B1	8/2006	Pantuso	7,266,844 B2	9/2007	Teblyashkin et al.
7,093,293 B1	8/2006	Smithson et al.	7,269,649 B1	9/2007	Brown et al.
7,096,368 B2	8/2006	Kouznetsov et al.	7,269,851 B2	9/2007	Ackroyd
7,096,500 B2	8/2006	Roberts et al.	7,272,724 B2	9/2007	Tarbotton et al.
7,096,501 B2	8/2006	Kouznetsov et al.	7,277,957 B2	10/2007	Rowley et al.
7,096,503 B1	8/2006	Magdych et al.	7,278,163 B2 *	10/2007	Banzhof et al. .... 726/25
7,107,366 B2	9/2006	Cheng et al.	7,281,267 B2	10/2007	Tarbotton et al.
7,107,574 B1	9/2006	Nedbal	7,281,268 B2	10/2007	Hollander et al.
7,107,617 B2	9/2006	Hursey et al.	7,284,267 B1	10/2007	McArdle et al.
7,107,618 B1	9/2006	Gordon et al.	7,296,080 B2	11/2007	Rowley et al.
7,114,183 B1	9/2006	Joiner	7,299,361 B1	11/2007	Kim et al.
7,114,185 B2	9/2006	Moore et al.	7,302,584 B2	11/2007	Tarbotton et al.
7,117,533 B1	10/2006	Libenzi	7,302,706 B1	11/2007	Hicks et al.
7,120,252 B1	10/2006	Jones et al.	7,305,005 B1	12/2007	Wu et al.
7,124,181 B1	10/2006	Magdych et al.	7,305,709 B1	12/2007	Lymer et al.
7,134,140 B2	11/2006	Fisher	7,308,702 B1	12/2007	Thomsen et al.
7,136,487 B1	11/2006	Schon et al.	7,308,706 B2	12/2007	Markham et al.
7,140,042 B2	11/2006	Verma	7,308,712 B2	12/2007	Banzhof
7,146,155 B2	12/2006	Kouznetsov	7,308,715 B2	12/2007	Gupta et al.
7,146,642 B1	12/2006	Magdych et al.	7,310,817 B2	12/2007	Hinchliffe et al.
7,149,189 B2	12/2006	Huntington et al.	7,310,818 B1	12/2007	Parish et al.
7,150,042 B2	12/2006	Wolff et al.	7,315,801 B1	1/2008	Dowd et al.
7,152,105 B2	12/2006	McClure et al.	7,315,894 B2	1/2008	Huntington et al.
7,152,241 B2	12/2006	Grupe	7,325,252 B2	1/2008	Bunker, V et al.
7,154,857 B1	12/2006	Joiner et al.	7,328,234 B1	2/2008	Nedbal et al.
7,159,036 B2	1/2007	Hinchliffe et al.	7,331,061 B1	2/2008	Ramsey et al.
7,159,237 B2	1/2007	Schneier et al.	7,334,222 B2	2/2008	Keller
7,162,698 B2	1/2007	Huntington et al.	7,340,774 B2	3/2008	Hursey et al.
7,171,681 B1	1/2007	Duncan et al.	7,340,775 B1	3/2008	Tarbotton et al.
7,171,690 B2	1/2007	Kouznetsov et al.	7,343,626 B1	3/2008	Gallagher
7,178,144 B2	2/2007	Melchione et al.	7,346,781 B2	3/2008	Cowie et al.
7,178,166 B1	2/2007	Taylor et al.	7,346,929 B1	3/2008	Hammond
7,181,015 B2	2/2007	Matt	7,350,203 B2	3/2008	Jahn
7,181,506 B1	2/2007	Vigue et al.	7,350,234 B2	3/2008	Goseva-Popstojanova et al.
7,181,613 B2	2/2007	Boebert et al.	7,353,539 B2 *	4/2008	Brawn et al. .... 726/25
7,181,769 B1	2/2007	Keanini et al.	7,359,962 B2	4/2008	Willebeek-LeMair et al.
7,185,232 B1	2/2007	Leavy et al.	7,367,054 B2	4/2008	Soppera
7,185,361 B1	2/2007	Ashoff et al.	7,373,659 B1	5/2008	Vignoles et al.
7,188,367 B1	3/2007	Edwards et al.	7,376,842 B1	5/2008	Hursey
7,203,963 B1	4/2007	Wu et al.	7,380,270 B2	5/2008	Tracy et al.
7,209,954 B1	4/2007	Rothwell et al.	7,383,556 B1	6/2008	Pantuso et al.
7,210,041 B1	4/2007	Gryaznov et al.	7,383,581 B1	6/2008	Moore et al.
			7,389,539 B1	6/2008	Kouznetsov
			7,391,770 B1	6/2008	Taylor et al.
			7,392,043 B2	6/2008	Kouznetsov et al.
			7,398,516 B2	7/2008	Berg et al.

## US 9,100,431 B2

Page 5

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,398,517 B2	7/2008	Berg et al.	7,668,947 B2	2/2010	Hutchinson et al.
7,401,359 B2	7/2008	Gartside et al.	7,669,237 B2	2/2010	Shahbazi
7,409,593 B2	8/2008	Aaron	7,673,043 B2	3/2010	Keir et al.
7,409,714 B2	8/2008	Gupta et al.	7,673,146 B2	3/2010	Wiedmann et al.
7,409,720 B1	8/2008	Cambridge et al.	7,673,150 B2	3/2010	Cox et al.
7,412,721 B2	8/2008	Torii et al.	7,673,242 B1	3/2010	Huntington et al.
7,412,722 B1	8/2008	Norris et al.	7,673,342 B2	3/2010	Hursey et al.
7,412,723 B2	8/2008	Blake et al.	7,673,343 B1	3/2010	Barton et al.
7,415,726 B2	8/2008	Kelly et al.	7,674,298 B1	3/2010	Cambridge
7,418,730 B2	8/2008	Chu et al.	7,681,208 B1	3/2010	Pantuso et al.
7,418,733 B2	8/2008	Connary et al.	7,693,742 B1	4/2010	Joiner et al.
7,418,734 B2	8/2008	Berg et al.	7,693,947 B2	4/2010	Judge et al.
7,418,737 B2	8/2008	Grupe	7,694,128 B2	4/2010	Judge et al.
7,421,266 B1	9/2008	Bruestle et al.	7,694,339 B2	4/2010	Blake et al.
7,421,587 B2	9/2008	Cowie et al.	7,698,275 B2	4/2010	O'Brien et al.
7,424,706 B2	9/2008	Ivanov et al.	7,711,662 B2	5/2010	Buscema
7,424,744 B1	9/2008	Wu et al.	7,712,138 B2	5/2010	Zobel et al.
7,424,746 B1	9/2008	Magdych et al.	7,716,719 B2	5/2010	Kouznetsov et al.
7,426,551 B1	9/2008	Benzinger et al.	7,716,742 B1	5/2010	Roesch et al.
7,440,403 B2	10/2008	Rosenfeld	7,721,110 B2	5/2010	Kouznetsov et al.
7,440,471 B1	10/2008	Hinchliffe et al.	7,739,722 B2	6/2010	Okajo et al.
7,441,274 B1	10/2008	Drew	7,757,293 B2	7/2010	Caceres et al.
7,451,488 B2	11/2008	Cooper et al.	7,757,361 B2	7/2010	Edwards et al.
7,458,098 B2	11/2008	Judge et al.	7,761,605 B1	7/2010	Rothwell et al.
7,461,403 B1	12/2008	Libenzi et al.	7,761,920 B2	7/2010	Bezilla et al.
7,464,408 B1	12/2008	Shah et al.	7,770,225 B2	8/2010	Hammond
7,472,419 B1	12/2008	Balasubramaniam et al.	7,779,466 B2	8/2010	Judge et al.
7,472,421 B2	12/2008	Cummins	7,779,468 B1	8/2010	Magdych et al.
7,480,941 B1	1/2009	Balasubramaniam et al.	7,783,545 B2	8/2010	Sloan et al.
7,483,861 B1	1/2009	Joiner et al.	7,788,705 B2	8/2010	Bruestle et al.
7,493,659 B1	2/2009	Wu et al.	7,788,718 B1	8/2010	Fei et al.
7,496,043 B1	2/2009	Leong et al.	7,793,346 B1	9/2010	Daub
7,496,960 B1	2/2009	Chen et al.	7,793,348 B2	9/2010	Lingafelt et al.
7,509,676 B2	3/2009	Trueba	7,801,980 B1	9/2010	Roesch et al.
7,509,681 B2	3/2009	Flowers et al.	7,810,091 B2	10/2010	Gartside et al.
7,516,483 B2	4/2009	Brennan	7,818,739 B2	10/2010	Cox et al.
7,519,954 B1	4/2009	Beddoe et al.	7,822,666 B1	10/2010	Bursch
7,519,994 B2	4/2009	Judge et al.	7,823,204 B2	10/2010	Gupta et al.
7,522,531 B2	4/2009	Joiner et al.	7,827,607 B2	11/2010	Sobel et al.
7,533,272 B1	5/2009	Gordon et al.	7,827,611 B2	11/2010	Kouznetsov et al.
7,536,456 B2	5/2009	Williams et al.	7,836,501 B2	11/2010	Sobel et al.
7,536,715 B2	5/2009	Markham	7,840,663 B1	11/2010	Hinchliffe et al.
7,540,031 B2	5/2009	Kouznetsov et al.	7,841,007 B2	11/2010	Currie et al.
7,543,056 B2	6/2009	McClure et al.	7,845,007 B1	11/2010	Kennis
7,543,070 B1	6/2009	Watson et al.	7,861,285 B2	12/2010	Ashoff et al.
7,543,329 B2	6/2009	Viets et al.	7,861,303 B2	12/2010	Kouznetsov et al.
7,543,334 B2	6/2009	Vignoles et al.	7,865,938 B2	1/2011	Shahbazi
7,549,168 B1	6/2009	Magdych et al.	7,865,956 B1	1/2011	Cambridge et al.
7,552,480 B1	6/2009	Voss	7,870,203 B2	1/2011	Judge et al.
7,555,776 B1	6/2009	Lymer et al.	7,882,555 B2	2/2011	Ben-Itzhak
7,562,388 B2	7/2009	Hackenberger et al.	7,895,641 B2	2/2011	Schneider et al.
7,574,740 B1	8/2009	Kennis	7,900,254 B1	3/2011	Fisher et al.
7,587,759 B1	9/2009	McArdle et al.	7,903,549 B2	3/2011	Judge et al.
7,590,247 B1	9/2009	Dinsmore et al.	7,904,955 B1	3/2011	Bu et al.
7,590,725 B1	9/2009	Harrison	7,913,303 B1	3/2011	Rouland et al.
7,590,844 B1	9/2009	Sherman et al.	7,917,444 B1	3/2011	Bursch
7,590,855 B2	9/2009	Irwin	7,917,647 B2	3/2011	Cooper et al.
7,590,859 B2	9/2009	Brennan	7,917,951 B1	3/2011	Tarbotton et al.
7,594,262 B2	9/2009	Hanzlik et al.	7,921,459 B2	4/2011	Houston et al.
7,594,273 B2	9/2009	Keanini et al.	7,926,113 B1	4/2011	Gula et al.
7,603,711 B2	10/2009	Scheidell	7,941,855 B2	5/2011	Sung et al.
7,613,625 B2	11/2009	Heinrich	7,954,159 B2	5/2011	Hrabik et al.
7,620,816 B1	11/2009	Vigue et al.	7,958,554 B2	6/2011	Chow et al.
7,624,422 B2	11/2009	Williams et al.	7,975,296 B2	7/2011	Apfelbaum et al.
7,624,444 B2	11/2009	Gupta et al.	7,984,511 B2	7/2011	Kocher et al.
7,624,450 B1	11/2009	Lymer et al.	7,991,827 B1	8/2011	Whitmore et al.
7,627,891 B2	12/2009	Williams et al.	7,991,917 B1	8/2011	Wu et al.
7,634,800 B2	12/2009	Ide et al.	7,996,201 B2	8/2011	Dowd et al.
7,640,335 B1	12/2009	Agrawal et al.	7,996,902 B1	8/2011	Gordon et al.
7,640,361 B1	12/2009	Green et al.	8,010,387 B2	8/2011	Porter et al.
7,640,586 B1	12/2009	Johnson et al.	8,019,082 B1	9/2011	Wiedmann et al.
7,644,352 B2	1/2010	Grupe	8,020,211 B2	9/2011	Keanini et al.
7,647,376 B1	1/2010	Jagger et al.	8,024,076 B2	9/2011	Schlueter et al.
7,664,845 B2	2/2010	Kurtz et al.	8,042,149 B2	10/2011	Judge
7,665,137 B1	2/2010	Barton et al.	8,042,178 B1	10/2011	Fisher et al.
			8,042,181 B2	10/2011	Judge
			8,051,479 B1	11/2011	Bu et al.
			8,068,441 B1	11/2011	Wiedmann et al.
			8,069,480 B1	11/2011	Tarbotton et al.

## US 9,100,431 B2

Page 6

(56)

## References Cited

## U.S. PATENT DOCUMENTS

8,069,481 B2	11/2011	Judge	8,744,938 B1	6/2014	Bursch
8,074,256 B2	12/2011	Valente et al.	8,776,230 B1	7/2014	Singleton
8,074,282 B1	12/2011	Lymer et al.	8,782,260 B2	7/2014	Taylor et al.
8,090,816 B1	1/2012	Deshmukh et al.	8,789,193 B2	7/2014	Kelekar
8,091,117 B2	1/2012	Williams et al.	2001/0014150 A1	8/2001	Beebe et al.
8,099,760 B2	1/2012	Cohen et al.	2001/0027388 A1	10/2001	Beverina et al.
8,115,769 B1	2/2012	Lymer et al.	2001/0027389 A1	10/2001	Beverina et al.
8,117,273 B1	2/2012	Mathur et al.	2001/0028268 A1	10/2001	Shuler, Jr.
8,121,874 B1	2/2012	Guheen et al.	2001/0028269 A1	10/2001	Shuler, Jr.
8,121,892 B2	2/2012	Baggett, Jr. et al.	2001/0034847 A1	10/2001	Gaul, Jr.
8,122,498 B1	2/2012	Gordon et al.	2001/0042004 A1	11/2001	Taub
8,122,499 B2	2/2012	Hall	2001/0043778 A1	11/2001	Griffis et al.
8,127,359 B2	2/2012	Kelekar	2002/0013811 A1	1/2002	Kim
8,132,250 B2	3/2012	Judge et al.	2002/0026591 A1	2/2002	Hartley et al.
8,135,823 B2	3/2012	Cole et al.	2002/0032860 A1	3/2002	Wheeler et al.
8,135,830 B2 *	3/2012	McClure et al. .... 709/224	2002/0042687 A1	4/2002	Tracy et al.
8,140,642 B1	3/2012	Kadam et al.	2002/0042877 A1	4/2002	Wheeler et al.
8,141,157 B2	3/2012	Farley et al.	2002/0069035 A1	6/2002	Tracy et al.
8,156,483 B2	4/2012	Berg et al.	2002/0078381 A1	6/2002	Farley et al.
8,171,551 B2	5/2012	Muttik et al.	2002/0092924 A1	7/2002	Ingham, Jr. et al.
8,176,544 B2	5/2012	Keanini et al.	2002/0104014 A1	8/2002	Zobel et al.
8,176,553 B1	5/2012	Magdych et al.	2002/0109963 A1	8/2002	Aoki et al.
8,181,173 B2	5/2012	Childress et al.	2002/0112179 A1	8/2002	Riordan et al.
8,181,222 B2	5/2012	Thomsen et al.	2002/0116631 A1	8/2002	Torii et al.
8,185,930 B2	5/2012	Alperovitch et al.	2002/0120558 A1	8/2002	Reid
8,185,943 B1	5/2012	Jagger et al.	2002/0137991 A1	9/2002	Scarantino et al.
8,219,620 B2	7/2012	Hart	2002/0138416 A1	9/2002	Lovejoy et al.
8,230,497 B2	7/2012	Norman et al.	2002/0147803 A1	10/2002	Dodd et al.
8,230,502 B1	7/2012	Lymer et al.	2002/0150866 A1	10/2002	Perry et al.
8,239,941 B1	8/2012	Lymer et al.	2002/0171546 A1	11/2002	Evans et al.
8,250,654 B1	8/2012	Kennedy et al.	2002/0178383 A1	11/2002	Hrabik et al.
8,256,002 B2	8/2012	Chandrashekhar et al.	2002/0199122 A1	12/2002	Davis et al.
8,260,906 B1	9/2012	Freedman	2003/0005178 A1	1/2003	Hemsath
8,266,320 B1	9/2012	Bell et al.	2003/0014669 A1	1/2003	Caceres et al.
8,266,703 B1	9/2012	Magdych et al.	2003/0023873 A1	1/2003	Ben-Itzhak
8,291,505 B2	10/2012	Hursey	2003/0028803 A1	2/2003	Bunker, V et al.
8,310,955 B1	11/2012	Wiedmann et al.	2003/0033542 A1	2/2003	Goseva-Popstojanova et al.
8,312,535 B1	11/2012	Gordon et al.	2003/0037258 A1	2/2003	Koren
8,341,693 B2	12/2012	Shahbazi	2003/0037601 A1	2/2003	Mansky et al.
8,359,650 B2	1/2013	Lotem et al.	2003/0046128 A1	3/2003	Heinrich
8,364,772 B1	1/2013	Mathur et al.	2003/0050718 A1	3/2003	Tracy et al.
8,380,791 B1	2/2013	Gordon et al.	2003/0051163 A1	3/2003	Bidaud
8,387,146 B2	2/2013	Parish et al.	2003/0056116 A1	3/2003	Bunker, V et al.
8,393,001 B1	3/2013	Libenzi et al.	2003/0061506 A1	3/2003	Cooper et al.
8,402,540 B2	3/2013	Kapoor et al.	2003/0065945 A1	4/2003	Lingafelt et al.
8,407,683 B2	3/2013	Cheng et al.	2003/0070003 A1	4/2003	Chong et al.
8,407,798 B1	3/2013	Lotem et al.	2003/0083831 A1	5/2003	Agrawal et al.
8,468,256 B1	6/2013	McArdle et al.	2003/0084320 A1	5/2003	Tarquini et al.
8,490,197 B2	7/2013	Herz	2003/0091951 A1	5/2003	Guilmette et al.
8,495,740 B1	7/2013	Rouland et al.	2003/0097228 A1	5/2003	Satya et al.
8,510,839 B2	8/2013	Tarbotton et al.	2003/0126472 A1 *	7/2003	Banzhof ..... 713/201
8,527,977 B1	9/2013	Cheng et al.	2003/0135749 A1	7/2003	Gales et al.
8,533,703 B2	9/2013	Cheng et al.	2003/0140249 A1	7/2003	Taninaka et al.
8,539,063 B1	9/2013	Sharma et al.	2003/0140250 A1	7/2003	Taninaka et al.
8,549,611 B2	10/2013	Judge et al.	2003/0145228 A1	7/2003	Suuronen et al.
8,549,635 B2	10/2013	Muttik et al.	2003/0154269 A1	8/2003	Nyanchama et al.
8,555,344 B1	10/2013	Wiedmann et al.	2003/0159060 A1	8/2003	Gales et al.
8,555,374 B2	10/2013	Wu et al.	2003/0159063 A1	8/2003	Apfelbaum et al.
8,561,167 B2	10/2013	Alperovitch et al.	2003/0177389 A1	9/2003	Albert et al.
8,561,175 B2	10/2013	Williams et al.	2003/0188194 A1	10/2003	Currie et al.
8,578,480 B2	11/2013	Judge et al.	2003/0195569 A1	10/2003	Swerdlow et al.
8,615,582 B2	12/2013	McClure et al.	2003/0195861 A1	10/2003	McClure et al.
8,621,060 B2	12/2013	McClure et al.	2003/0202663 A1	10/2003	Hollis et al.
8,621,073 B2	12/2013	McClure et al.	2003/0204632 A1	10/2003	Willebeek-LeMair et al.
8,621,077 B2	12/2013	Hinchliffe et al.	2003/0204719 A1	10/2003	Ben-Itzhak
8,627,443 B2	1/2014	Jagger et al.	2003/0204728 A1	10/2003	Irwin
8,627,466 B2	1/2014	Fisher et al.	2003/0212779 A1	11/2003	Boyter et al.
8,631,124 B2	1/2014	Whitmore et al.	2003/0212909 A1	11/2003	Chandrashekhar et al.
8,631,495 B2	1/2014	Judge	2003/0217039 A1	11/2003	Kurtz et al.
8,634,309 B2	1/2014	●Brien	2003/0233438 A1	12/2003	Hutchinson et al.
8,656,502 B2	2/2014	Gartside et al.	2004/0006704 A1	1/2004	Dahlstrom et al.
8,661,126 B2	2/2014	Cole et al.	2004/0015338 A1	1/2004	Lawrence et al.
8,700,767 B2	4/2014	Cole et al.	2004/0015728 A1	1/2004	Cole et al.
8,706,576 B1	4/2014	Balasubramaniam et al.	2004/0015737 A1	1/2004	Martin et al.
8,732,835 B2	5/2014	Gordon et al.	2004/0019803 A1	1/2004	Jalm
			2004/0021889 A1	2/2004	McAfee et al.
			2004/0022359 A1	2/2004	Acharya et al.
			2004/0024781 A1	2/2004	Youd
			2004/0030778 A1	2/2004	Kronenberg et al.

## US 9,100,431 B2

Page 7

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2004/0044912 A1 3/2004 Connary et al.  
 2004/0049372 A1 3/2004 Keller  
 2004/0054764 A1 3/2004 Aderton et al.  
 2004/0064722 A1 4/2004 Neelay et al.  
 2004/0064726 A1 4/2004 Girouard  
 2004/0071081 A1 4/2004 Rosenfled  
 2004/0073800 A1 4/2004 Shah et al.  
 2004/0078384 A1 4/2004 Keir et al.  
 2004/0088564 A1 5/2004 Norman  
 2004/0088565 A1 5/2004 Norman et al.  
 2004/0088581 A1 5/2004 Brawn et al.  
 2004/0098623 A1 5/2004 Scheidell  
 2004/0102922 A1 5/2004 Tracy et al.  
 2004/0102923 A1 5/2004 Tracy et al.  
 2004/0103310 A1 5/2004 Sobel et al.  
 2004/0103431 A1 5/2004 Davenport et al.  
 2004/0106955 A1 6/2004 Swerdlow et al.  
 2004/0117624 A1 6/2004 Brandt et al.  
 2004/0117640 A1 6/2004 Chu et al.  
 2004/0128529 A1 7/2004 Blake et al.  
 2004/0128530 A1 7/2004 Isenberg  
 2004/0128543 A1 7/2004 Blake et al.  
 2004/0148520 A1 7/2004 Talpade et al.  
 2004/0153171 A1 8/2004 Brandt et al.  
 2004/0158545 A1 8/2004 Turgeon  
 2004/0172550 A1 9/2004 Sai  
 2004/0181787 A1 9/2004 Wickham et al.  
 2004/0192204 A1 9/2004 Periyalwar et al.  
 2004/0193918 A1 9/2004 Green et al.  
 2004/0210653 A1 10/2004 Kanoor et al.  
 2004/0215972 A1 10/2004 Sung et al.  
 2004/0215978 A1 10/2004 Okajo et al.  
 2004/0221176 A1 11/2004 Cole  
 2004/0243603 A1 12/2004 Komatsu  
 2004/0250115 A1 12/2004 Gemmel et al.  
 2004/0250128 A1 12/2004 Bush et al.  
 2004/0259640 A1 12/2004 Gentles et al.  
 2004/0268322 A1 12/2004 Chow et al.  
 2005/0005169 A1 1/2005 Kelekar  
 2005/0007743 A1 1/2005 Eckblad et al.  
 2005/0010819 A1 1/2005 Williams et al.  
 2005/0010821 A1 1/2005 Cooper et al.  
 2005/0015382 A1 1/2005 Aaron  
 2005/0015667 A1 1/2005 Aaron  
 2005/0022028 A1 1/2005 Hall  
 2005/0033988 A1 2/2005 Chandrashekhar et al.  
 2005/0049962 A1 3/2005 Porter et al.  
 2005/0091542 A1 4/2005 Banzhof  
 2005/0114186 A1 5/2005 Heinrich  
 2005/0160286 A1 7/2005 Currie et al.  
 2005/0177752 A1 8/2005 Hollander et al.  
 2005/0193430 A1 9/2005 Cohen et al.  
 2005/0195975 A1 9/2005 Kawakita  
 2005/0216957 A1 9/2005 Banzhof et al.  
 2005/0222969 A1 10/2005 Yip et al.  
 2005/0235360 A1\* 10/2005 Pearson ..... 726/23  
 2005/0240756 A1 10/2005 Mayer  
 2006/0004614 A1 1/2006 Hutchinson et al.  
 2006/0030972 A1 2/2006 Schlueter et al.  
 2006/0031938 A1 2/2006 Choi  
 2006/0041936 A1 2/2006 Anderson et al.  
 2006/0069912 A1 3/2006 Zheng et al.  
 2006/0070129 A1 3/2006 Sobel et al.  
 2006/0101517 A1\* 5/2006 Banzhof et al. .... 726/25  
 2006/0130139 A1 6/2006 Sobel et al.  
 2006/0156407 A1 7/2006 Cummins  
 2006/0168660 A1 7/2006 Edwards et al.  
 2006/0179325 A1 8/2006 Debiez  
 2006/0230006 A1 10/2006 Buscema  
 2006/0265708 A1 11/2006 Blanding et al.  
 2006/0265746 A1 11/2006 Farley et al.  
 2006/0272011 A1 11/2006 Ide et al.  
 2006/0293942 A1 12/2006 Chaddha et al.  
 2007/0016659 A1 1/2007 Peck et al.  
 2008/0005555 A1 1/2008 Lotem et al.

2008/0047016 A1 2/2008 Spoonamore  
 2008/0052054 A1 2/2008 Beverina et al.  
 2008/0060075 A1 3/2008 Cox et al.  
 2008/0127349 A1 5/2008 Ormazabal et al.  
 2008/0216173 A1 9/2008 Hammond  
 2008/0222724 A1 9/2008 Ormazabal et al.  
 2008/0222731 A1 9/2008 Dowd et al.  
 2008/0263525 A1 10/2008 Berg et al.  
 2008/0263668 A1 10/2008 Chu et al.  
 2008/0271151 A1 10/2008 Blake et al.  
 2009/0077666 A1 3/2009 Chen et al.  
 2009/0320138 A1 12/2009 Keanini et al.  
 2009/0328213 A1 12/2009 Blake et al.  
 2010/0083382 A1 4/2010 Farley et al.  
 2010/0100961 A1 4/2010 Scheidell  
 2010/0218256 A1 8/2010 Thomas et al.  
 2010/0241478 A1 9/2010 Sahinoglu  
 2011/0131644 A1 6/2011 Keanini et al.  
 2011/0138036 A1 6/2011 Tyree  
 2011/0162049 A1 6/2011 Shahbazi  
 2011/0173342 A1 7/2011 Cooper et al.  
 2011/0173677 A1 7/2011 Tarbotton et al.  
 2011/0214179 A1 9/2011 Chow et al.  
 2011/0214185 A1 9/2011 Parish et al.  
 2011/0258315 A1 10/2011 Whitmore et al.  
 2011/0258694 A1 10/2011 Wu et al.  
 2012/0017278 A1 1/2012 Fisher et al.  
 2012/0030766 A1 2/2012 Tarbotton et al.  
 2012/0084867 A1 4/2012 Baggett, Jr. et al.  
 2012/0102570 A1 4/2012 Herz  
 2012/0110671 A1 5/2012 Beresnevichienė et al.  
 2012/0144476 A1 6/2012 McClure et al.  
 2012/0144493 A1 6/2012 Cole et al.  
 2012/0144494 A1 6/2012 Cole et al.  
 2012/0151594 A1 6/2012 McClure et al.  
 2012/0151595 A1 6/2012 McClure et al.  
 2012/0151596 A1 6/2012 McClure et al.  
 2012/0173931 A1 7/2012 Kube et al.  
 2012/0185549 A1 7/2012 Hart  
 2012/0185550 A1 7/2012 Hart  
 2012/0185551 A1 7/2012 Hart  
 2012/0192262 A1 7/2012 Jagger et al.  
 2012/0192279 A1 7/2012 Muttik et al.  
 2012/0204265 A1 8/2012 Judge  
 2012/0210434 A1 8/2012 Curtis et al.  
 2012/0271890 A1 10/2012 Judge et al.  
 2012/0317627 A1 12/2012 Chandrashekhar et al.  
 2013/0031265 A1 1/2013 Freedman  
 2013/0031635 A1 1/2013 Lotem et al.  
 2013/0055394 A1 2/2013 Beresnevichienė et al.  
 2013/0167240 A1 6/2013 Kelekar  
 2013/0246620 A1 9/2013 Rothwell et al.  
 2013/0275999 A1 10/2013 Gordon et al.  
 2013/0312101 A1 11/2013 Lotem Ammon et al.  
 2014/0215605 A1 7/2014 Decime et al.  
 2014/0331326 A1 11/2014 Thakur

## FOREIGN PATENT DOCUMENTS

W● W●0214987 A2 2/2002  
 W● W●03007192 A1 1/2003  
 W● W●03029940 A2 4/2003  
 W● W●03029941 A2 4/2003  
 W● W●2004086168 10/2004  
 W● W●2004114663 12/2004

## OTHER PUBLICATIONS

Ghosh, Anup K., Tom ● Connor, and Gary McGraw. "An automated approach for identifying potential vulnerabilities in software." Security and Privacy, 1998. Proceedings. 1998 IEEE Symposium on. IEEE, 1998.\*

U.S. Appl. No. 60/448,313, filed Feb. 14, 2003.

"Symantec unveils vulnerability assessment tool," May 13, 2003, retrieved from <https://web.archive.org/web/20140818164413/http://www.computerweekly.com/news/2240050753/Symantec-unveils-vulnerability-assessment-tool>.

## US 9,100,431 B2

Page 8

(56)

## References Cited

## OTHER PUBLICATIONS

Symantec Corporation, Symantec Introduces New Vulnerability Assessment Solution: Symantec Vulnerability Assessment Provides Vulnerability Identification and Prioritization to Proactively Secure Systems at Risk, News Release, May 12, 2003, retrieved from <http://www.symantec.com/press/2003/n030512a.html>.

"Introduction to Symantec Vulnerability Assessment 1.0," Jan. 1, 2003, retrieved from <http://www.symantec.com/business/support/index?page=content&id=TECH111970>.

Gula, Ron, "Correlating IDS Alerts with Vulnerability Information," Dec. 2002 (Updated Jan. 2009), pp. 1-10, retrieved from <http://docs.huihoo.com/nessus/va-ids.pdf>.

Desai, Neil, "IDS Correlation of VA Data and IDS Alerts," Jun. 29, 2003, retrieved from <http://www.symantec.com/connect/articles/ids-correlation-va-data-and-ids-alerts>.

"Qualys Introduces First Network Vulnerability Assessment Platform for Managed Security and Consulting Organizations," Apr. 10, 2001, retrieved from <http://www.qualys.com/company/newsroom/news-releases/usa/2001-04-10-3/>.

"Qualys Introduces New Intranet Scanner Appliance," Sep. 30, 2002, retrieved from <http://www.qualys.com/company/newsroom/news-releases/usa/2002-09-30/>.

Qualys "Case Study: Bank of the West—Major Financial Institution Protects Information Assets Through Regular Network Vulnerability Audits," Jul. 2005, retrieved from [http://www.qualys.com/docs/bank\\_of\\_west.pdf](http://www.qualys.com/docs/bank_of_west.pdf).

Gula, Ron, "Example Lightning Deployment Scenarios," Dec. 2002, 5 pages, retrieved from <https://web.archive.org/web/20030316012821/http://www.tenablesecurity.com/example.pdf>.

Gula, Ron, "Offering Managed Security Services with Lightning," Dec. 2002, 6 pages, retrieved from <https://web.archive.org/web/20030316085246/http://www.tenablesecurity.com/manage.pdf>.

Tenable Network Security Inc., "Lightning Console," 2002, retrieved from <https://web.archive.org/web/20030416093233/http://www.tenablesecurity.com/console.html>.

Tenable Network Security Inc., "Screen Shots," 2002, retrieved from <https://web.archive.org/web/20030214013753/http://www.tenablesecurity.com/screenshots.html>.

SecurityProfiling, "News," Jul. 2001, retrieved from <https://web.archive.org/web/20021209114707/http://securityprofiling.com/news.htm>.

Symantec Corporation, "Norton Ghost™ User's Guide," 2002, 221 pages.

Symantec Corporation, "Symantec™ Vulnerability Assessment Implementation Guide," Version 1.0, 2003, 108 pages.

Huber, Robert, "Strategies for Improving Vulnerability Assessment Effectiveness in Large Organizations," SANS Institute InfoSec Reading Room, Version 1.4b (amended Aug. 29, 2002), GSEC Option 1, Apr. 20, 2003, 18 pages.

U.S. Appl. No. 60/441,422, filed Jan. 21, 2003.

U.S. Appl. No. 60/388,078, filed Jun. 11, 2002.

U.S. Appl. No. 60/345,689, filed Dec. 31, 2001.

US 8,528,042, 09/2013, Sapp et al. (withdrawn).

CERT Incident Note IN-2000-07, "Exploitation of Hidden File Extensions", Jul. 27, 2000, at CERT.org, pp. 1-3.

Julia Allen et al., "State of the Practice of Intrusion Detection Technologies," Jan. 2000, Networked Systems Survivability Program, cover page-p. 220 and report documentation page.

"Review SPQUERY", in Network Computing, Nov. 2000, [www.networkcomputer.co.uk/back\\_iss/prod\\_update/reviews/spquery4.1.htm](http://www.networkcomputer.co.uk/back_iss/prod_update/reviews/spquery4.1.htm).

Business Wire, "Ready for Windows 2000 Service Pack 1? St. Bernard Software's SPQuery 4.0 is Here Just Time," Aug. 2, 2000, pp. 1-2, [www.findarticles.com/p/articles/mi\\_m0EIN/is\\_August\\_2/ai\\_63819686/print](http://www.findarticles.com/p/articles/mi_m0EIN/is_August_2/ai_63819686/print).

Mark Joseph Edwards, "Useful SPQuery 3.0 automates finding, installing hotfixes," in InfoWorld, Jun. 21, 1999, [www.infoworld.com/cgi-bin/displayArchive.pl?99/25/c04-25.46.htm](http://www.infoworld.com/cgi-bin/displayArchive.pl?99/25/c04-25.46.htm).

SPQuery User's Manual, Version 4.2, pp. 1-58.

WebConsole Core 4.0 for NetWare, archived May 11, 2000, pp. 1-3 [http://web.archive.org/web/20000511133746/www.patchlink.com/products/wcnw\\_product...](http://web.archive.org/web/20000511133746/www.patchlink.com/products/wcnw_product...)

PatchLink, Gravitix The Patch Finder, archived Aug. 15, 2000, <http://web.archive.org/web/20000815094824/www.patchlink.com/products/gravitix.asp>.

Steve Manzuk, "Ultimate Security Toolkit", InstantDoc #9202, May 16, 2000, pp. 1-3 <http://web.archive.org/web/2001160751/www.ntsecurity.net/Articles/Index.cfm?ArticleId=9202&SearchString=cyber>.

"Network Vulnerability Assessment Report," Apr. 19, 2000, pp. 1-4, [http://web.archive.org/web/20000917072109/documents.iss.net/literature/InternetScanner/reports/Line\\_Mgmt\\_Vulnerability\\_Assessment\\_Report.pdf](http://web.archive.org/web/20000917072109/documents.iss.net/literature/InternetScanner/reports/Line_Mgmt_Vulnerability_Assessment_Report.pdf).

"Host Vulnerability Summary Report," Apr. 19, 2000, pp. 1-8, [http://web.archive.org/web/20000917072216/documents.iss.net/literature/InternetScanner/reports/Technician\\_Host\\_Vulnerability\\_Summary\\_Report.pdf](http://web.archive.org/web/20000917072216/documents.iss.net/literature/InternetScanner/reports/Technician_Host_Vulnerability_Summary_Report.pdf).

Internet Security Systems, Inc.: Securing E-Business, ISS SAFEsuite products, Security Assessment: Internet Scanner, archived Aug. 20, 2000 [http://web.archive.org/web/20000820203428/www.iss.net/securing\\_e-business/security\\_pr...](http://web.archive.org/web/20000820203428/www.iss.net/securing_e-business/security_pr...)

"Internet Security Systems; Internet Scanner", archived Jun. 6, 2001, pp. 1-2 [http://web.archive.org/web/2001060422406/documents.iss.net/literature/InternetScanner/is\\_ps.pdf](http://web.archive.org/web/2001060422406/documents.iss.net/literature/InternetScanner/is_ps.pdf).

"To Setup Secure PC Network", archived Aug. 16, 2000, pp. 1-15 <http://web.archive.org/web/20000816192628/www.citadel.com/downloads/SPC+readme.txt>.

"Microsoft Security Glossary", published Oct. 29, 2002, updated Dec. 19, 2005, pp. 1-18, [www.microsoft.com/security/glossary.mspx](http://www.microsoft.com/security/glossary.mspx).

U.S. Appl. No. 60/234,680, filed Sep. 22, 2000.

Gravitix Screenshot, Jul. 24, 2000.

U.S. Appl. No. 60/484,085, filed Jul. 1, 2003.

U.S. Appl. No. 10/882,588, filed Jul. 1, 2004.

Office Action Summary in U.S. Appl. No. 10/882,588 dated May 29, 2009.

Office Action Summary in U.S. Appl. No. 10/882,588 dated Oct. 12, 2010.

Office Action Summary in U.S. Appl. No. 10/882,588 dated Jun. 12, 2012.

Office Action Summary in U.S. Appl. No. 10/882,588 dated Jan. 8, 2010.

Office Action Summary in U.S. Appl. No. 10/882,588 dated Apr. 15, 2011.

Office Action Summary in U.S. Appl. No. 10/882,588 dated Jun. 24, 2010.

Office Action Summary in U.S. Appl. No. 10/882,588 dated Sep. 26, 2007.

Office Action Summary in U.S. Appl. No. 10/882,588 dated Oct. 20, 2011.

U.S. Appl. No. 10/882,788, filed Jul. 1, 2004.

Office Action Summary in U.S. Appl. No. 10/882,788 dated Dec. 22, 2008.

Office Action Summary in U.S. Appl. No. 10/882,788 dated Jul. 10, 2008.

Office Action Summary in U.S. Appl. No. 10/882,788 dated Oct. 4, 2007.

U.S. Appl. No. 10/882,852, filed Jul. 1, 2004.

Office Action Summary in U.S. Appl. No. 10/882,852 dated May 15, 2013.

Office Action Summary in U.S. Appl. No. 10/882,852 dated Jun. 1, 2010.

Office Action Summary in U.S. Appl. No. 10/882,852 dated Aug. 14, 2008.

Office Action Summary in U.S. Appl. No. 10/882,852 dated Jun. 24, 2009.

Office Action Summary in U.S. Appl. No. 10/882,852 dated Nov. 1, 2007.

U.S. Appl. No. 10/882,853, filed Jul. 1, 2004.

Office Action Summary in U.S. Appl. No. 10/882,853 dated Mar. 18, 2009.

## US 9,100,431 B2

Page 9

(56)


## References Cited


## OTHER PUBLICATIONS

Office Action Summary in U.S. Appl. No. 10/882,853 dated Apr. 30, 2008.  
 Office Action Summary in U.S. Appl. No. 10/882,853 dated Oct. 17, 2008.  
 Office Action Summary in U.S. Appl. No. 10/882,853 dated Oct. 31, 2007.  
 U.S. Appl. No. 10/883,376, filed Jul. 1, 2004.  
 Office Action Summary in U.S. Appl. No. 10/883,376 dated Sep. 11, 2008.  
 Office Action Summary in U.S. Appl. No. 10/883,376 dated May 6, 2008.  
 U.S. Appl. No. 10/884,329, filed Jul. 1, 2004.  
 Office Action Summary in U.S. Appl. No. 10/884,329 dated Nov. 29, 2007.  
 U.S. Appl. No. 14/138,014, filed Dec. 31, 2013.  
 Office Action Summary in U.S. Appl. No. 14/138,014 dated Aug. 28, 2014.  
 U.S. Appl. No. 14/499,226, filed Sep. 28, 2014.  
 U.S. Appl. No. 14/499,227, filed Sep. 28, 2014.  
 Office Action Summary in U.S. Appl. No. 14/499,227 dated Dec. 15, 2014.  
 U.S. Appl. No. 14/499,230, filed Sep. 28, 2014.  
 U.S. Appl. No. 14/499,234, filed Sep. 28, 2014.  
 U.S. Appl. No. 14/499,235, filed Sep. 28, 2014.  
 Office Action Summary in U.S. Appl. No. 14/499,235 dated Dec. 15, 2014.  
 U.S. Appl. No. 14/499,236, filed Sep. 28, 2014.  
 Office Action Summary in U.S. Appl. No. 14/499,236 dated Dec. 30, 2014.  
 U.S. Appl. No. 14/499,237, filed Sep. 28, 2014.  
 U.S. Appl. No. 14/499,239, filed Sep. 29, 2014.  
 U.S. Appl. No. 14/499,241, filed Sep. 29, 2014.  
 Office Action Summary in U.S. Appl. No. 14/499,241 dated Dec. 15, 2014.  
 U.S. Appl. No. 14/499,244, filed Sep. 29, 2014.  
 U.S. Appl. No. 14/499,246, filed Sep. 29, 2014.

U.S. Appl. No. 14/499,250, filed Sep. 29, 2014.  
 Office Action Summary in U.S. Appl. No. 14/138,014 dated Feb. 24, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,226 dated Feb. 20, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,227 dated Jan. 27, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,230 dated Jan. 8, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,234 dated Feb. 10, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,235 dated Jan. 21, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,237 dated Jan. 20, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,241 dated Mar. 4, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,244 dated Feb. 23, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,246 dated Jan. 28, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,250 dated Jan. 16, 2015.  
 Interview Summary in U.S. Appl. No. 14/138,014 dated Feb. 9, 2015.  
 Interview Summary in U.S. Appl. No. 14/138,230 dated Feb. 9, 2015.  
 Interview Summary in U.S. Appl. No. 14/138,246 dated Feb. 3, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,226 dated May 19, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,236 dated May 6, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,239 dated Jun. 18, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,246 dated Mar. 30, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,246 dated Apr. 28, 2015.  
 Office Action Summary in U.S. Appl. No. 14/499,250 dated May 13, 2015.

\* cited by examiner

**Fig. 1**



**Fig. 2**

U.S. Patent

Aug. 4, 2015

Sheet 3 of 12

US 9,100,431 B2

**Fig. 3****Fig. 4**

U.S. Patent

Aug. 4, 2015

Sheet 4 of 12

US 9,100,431 B2




FIG. 5A




FIG. 5B




FIG. 6




FIG. 7




FIG. 8





FIG. 9






FIG. 11




FIG. 12

US 9,100,431 B2

1

# COMPUTER PROGRAM PRODUCT AND APPARATUS FOR MULTI-PATH REMEDIATION

## CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part (for the purposes of providing a glossary in accordance with the Glossary Pilot Program) of U.S. application Ser. No. 14/138,014 filed Dec. 21, 2013 which, in turn, is a continuation of U.S. application Ser. No. 10/882,852 filed Jul. 1, 2004 which, in turn, claims priority to U.S. App. No. 60/484,085 filed Jul. 1, 2003, which are all incorporated herein by reference in their entirety for all purposes.

## FIELD OF THE INVENTION

The present invention relates to computer systems, and more particularly to management of security of computing and network devices that are connected to other such devices.

## SUMMARY

A system, method, and computer program product are provided for a database associating a plurality of device vulnerabilities to which computing devices can be subject with a plurality of remediation techniques that collectively remediate the plurality of device vulnerabilities. Each of the device vulnerabilities is associated with at least one remediation technique. Each remediation technique associated with a particular device vulnerability mediates that particular vulnerability. Further, each remediation technique has a remediation type are selected from the type group consisting of patch, policy setting, and configuration option. Still yet, a first one of the device vulnerabilities is associated with at least two alternative remediation techniques.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a networked system of computers in one embodiment of the present invention.

FIG. 2 is a block diagram showing components of several computing devices in the system of FIG. 1.

FIGS. 3 and 4 trace signals that travel through the system of FIGS. 1 and 2 and the present invention is applied to them.

FIG. 5A is a flow chart of a filtering proxy method according to one embodiment of the present invention.

FIGS. 5B and 6 illustrate a platform, in accordance with possible embodiments.

FIG. 7 illustrates an intelligent IDS, in accordance with one embodiment.

FIG. 8 illustrates an update system, in accordance with one embodiment.

FIG. 9 shows a configured network, in accordance with one embodiment.

FIG. 10 shows policy compliance and enforcement, in accordance with one embodiment.

FIG. 11 illustrates an intelligent IPS, in accordance with one embodiment.

FIG. 12 illustrates an SDK function call flow, in accordance with one embodiment.

## DETAILED DESCRIPTION

### Glossary

data warehouse=a component that contains vulnerabilities and updates for devices that operate on at least one network

2

NOC server=network operations center server that periodically synchronize latest vulnerability and update data with other servers.

SDK=software development kit that allows programmers to develop security applications that access data collected in a database

CM application=change management application that controls documentation and logging of change.

For the purpose of promoting an understanding of the principles of the present invention, reference will now be made to the embodiment illustrated in the drawings and specific language will be used to describe the same. It will, nevertheless, be understood that no limitation of the scope of the invention is thereby intended; any alterations and further modifications of the described or illustrated embodiments, and any further applications of the principles of the invention as illustrated therein are contemplated as would normally occur to one skilled in the art to which the invention relates.

Generally, the present invention in one embodiment operates in the context of a network as shown in FIG. 1. System 100 includes a vulnerability and remediation database 110 connected by Internet 120 to subnet 130. In this exemplary embodiment, firewall 131 serves as the gateway between Internet 120 and the rest of subnet 130. Router 133 directs connections between computers 137 and each other and other devices on Internet 120. Server 135 collects certain information and provides certain data services that will be discussed in further detail herein.

In particular, security server 135 includes processor 142, and memory 144 encoded with programming instructions executable by processor 142 to perform several important security-related functions. For example, security server 135 collects data from devices 131, 133, 137, and 139, including the software installed on those devices, their configuration and policy settings, and patches that have been installed. Security server 135 also obtains from vulnerability and remediation database 110 a regularly updated list of security vulnerabilities in software for a wide variety of operating systems, and even in the operating systems themselves. Security server 135 also downloads a regularly updated list of remediation techniques that can be applied to protect a device from damage due to those vulnerabilities. In one embodiment, each vulnerability in remediation database 110 is identified by a vulnerability identifier, and the vulnerability identifier can be used to retrieve remediation information from database 110 (and from database 146, discussed below in relation to FIG. 2).

In one embodiment, computers 137 and 139 each comprise a processor 152, 162, memory 154, 164, and storage 156, 166. Computer 137 executes a client-side program (stored in storage 156, loaded into memory 154, and executed by processor 152) that maintains an up-to-date collection of information regarding the operating system, service pack (if applicable), software, and patches installed on computer 137, and the policies and configuration data (including configuration files, and elements that may be contained in files, such as \*.ini and \*.conf files and registry information, for example), and communicates that information on a substantially real-time basis to security server 135. In an alternative embodiment, the collection of information is not retained on computer 137, but is only communicated once to security server 135, then is updated in real time as changes to that collection occur.

Computer 139 stores, loads, and executes a similar software program that communicates configuration information pertaining to computer 139 to security server 135, also substantially in real time. Changes to the configuration registry in computer 139 are monitored, and selected changes are com-

## US 9,100,431 B2

3

municated to security server 135 so that relevant information is always available. Security server 135 may connect directly to and request software installation status and configuration information from firewall 131 and router 133, for embodiments wherein firewall 131 and router 133 do not have a software program executing on them to communicate this information directly.

This collection of information is made available at security server 135, and combined with the vulnerability and remediation data from source 110. The advanced functionality of system 100 is thereby enabled as discussed further herein.

Turning to FIG. 2, one sees additional details and components of the devices in subnet 130. Computers 137 and 139 are traditional client or server machines, each having a processor 152, 162, memory 154, 164, and storage 156, 166. Firewall 131 and router 133 also have processors 172, 182 and storage 174, 184, respectively, as is known in the art. In this embodiment, devices 137 and 139 each execute a client-side program that continuously monitors the software installation and configuration status for that device. Changes to that status are communicated in substantially real time to security server 135, which continuously maintains the information in database 146. Security server 135 connects directly to firewall 131 and router 133 to obtain software installation and configuration status for those devices in the absence of a client-side program running thereon.

Processors 142, 152, 162 may each be comprised of one or more components configured as a single unit. Alternatively, when of a multi-component form, processor 142, 152, 162 may each have one or more components located remotely relative to the others. One or more components of processor 142, 152, 162 may be of the electronic variety defining digital circuitry, analog circuitry, or both. In one embodiment, processor 142, 152, 162 are of a conventional, integrated circuit microprocessor arrangement, such as one or more PENTIUM 4 or XEON processors from INTEL Corporation of 2200 Mission College Boulevard, Santa Clara, Calif., 95052, USA, or ATHLON XP processors from Advanced Micro Devices, One AMD Place, Sunnyvale, Calif., 94088, USA.

Memories 144, 154, 164 may include one or more types of solid-state electronic memory, magnetic memory, or optical memory, just to name a few. By way of non-limiting example, memory 406 may include solid-state electronic Random Access Memory (RAM), Sequentially Accessible Memory (SAM) (such as the First-In, First-Out (FIFO) variety or the Last-In First-Out (LIFO) variety), Programmable Read Only Memory (PROM), Electrically Programmable Read Only Memory (EPROM), or Electrically Erasable Programmable Read Only Memory (EEPROM); an optical disc memory (such as a DVD or CD ROM); a magnetically encoded hard drive, floppy disk, tape, or cartridge media; or a combination of any of these memory types. Also, memories 144, 154, 164 may be volatile, nonvolatile, or a hybrid combination of volatile and nonvolatile varieties.

In this exemplary embodiment, storage 146, 156, 166 comprises one or more of the memory types just given for memories 144, 154, 164, preferably selected from the non-volatile types.

This collection of information is used by system 100 in a wide variety of ways. With reference to FIG. 3, assume for example that a connection request 211 arrives at firewall 131 requesting that data be transferred to computer 137. The payload of request 211 is, in this example, a probe request for a worm that takes advantage of a particular security vulnerability in a certain computer operating system. Based on characteristics of the connection request 211, firewall 131 sends a query 213 to security server 135. Query 213 includes

4

information that security server 135 uses to determine (1) the intended destination of connection request 211, and (2) some characterization of the payload of connection request 211, such as a vulnerability identifier. Security server 135 uses this information to determine whether connection request 211 is attempting to take advantage of a particular known vulnerability of destination machine 137, and uses information from database 146 (see FIG. 2) to determine whether the destination computer 137 has the vulnerable software installed, and whether the vulnerability has been patched on computer 137, or whether computer 137 has been configured so as to be invulnerable to a particular attack.

Security server 135 sends result signal 217 back to firewall 131 with an indication of whether the connection request should be granted or rejected. If it is to be granted, firewall 131 passes the request to router 133 as request 219, and router 133 relays the request as request 221 to computer 137, as is understood in the art. If, on the other hand, signal 217 indicates that connection request 211 is to be rejected, firewall 133 drops or rejects the connection request 211 as is understood in the art.

Analogous operation can protect computers within subnet 130 from compromised devices within subnet 130 as well. For example, FIG. 4 illustrates subnet 130 with computer 137 compromised. Under the control of a virus or worm, for example, computer 137 sends connection attempt 231 to router 133 in an attempt to probe or take advantage of a potential vulnerability in computer 139. On receiving connection request 231, router 133 sends relevant information about request 231 in a query 233 to security server 135. Similarly to the operation discussed above in relation to FIG. 3, security server 135 determines whether connection request 231 poses any threat, and in particular any threat to software on computer 139. If so, security server 135 determines whether the vulnerability has been patched, and if not, it determines whether computer 139 has been otherwise configured to avoid damage due to that vulnerability. Security server 135 replies with signal 235 to query 233 with that answer. Router 133 uses response 235 to determine whether to allow the connection attempt.

In some embodiments, upon a determination by security server 135 that a connection attempt or other attack has occurred against a computer that is vulnerable (based on its current software, patch, policy, and configuration status), security server 135 selects one or more remediation techniques from database 146 that remediate the particular vulnerability. Based on a prioritization previously selected by an administrator or the system designer, the remediation technique(s) are applied (1) to the machine that was attacked, (2) to all devices subject to the same vulnerability (based on their real-time software, patch, policy, and configuration status), or (3) to all devices to which the selected remediation can be applied.

In various embodiments, remediation techniques include the closing of open ports on the device; installation of a patch that is known to correct the vulnerability; changing the device's configuration; stopping, disabling, or removing services; setting or modifying policies; and the like. Furthermore, in various embodiments, events and actions are logged (preferably in a non-volatile medium) for later analysis and review by system administrators. In these embodiments, the log also stores information describing whether the target device was vulnerable to the attack.

A real-time status database according to the present invention has many other applications as well. In some embodiments, the database 146 is made available to an administrative console running on security server 135 or other administra-

## US 9,100,431 B2

5

tive terminal. When a vulnerability is newly discovered in software that exists in subnet **130**, administrators can immediately see whether any devices in subnet **130** are vulnerable to it, and if so, which ones. If a means of remediation of the vulnerability is known, the remediation can be selectively applied to only those devices subject to the vulnerability.

In some embodiments, the database **146** is integrated into another device, such as firewall **131** or router **133**, or an individual device on the network. While some of these embodiments might avoid some failures due to network instability, they substantially increase the complexity of the device itself. For this reason, as well as the complexity of maintaining security database functions when integrated with other functions, the network-attached device embodiment described above in relation to FIGS. **1-4** is one possible embodiment.

In one embodiment, a software development kit (SDK) allows programmers to develop security applications that access the data collected in database **146**. The applications developed with the SDK access information using a defined application programming interface (API) to retrieve vulnerability, remediation, and device status information available to the system. The applications then make security-related determinations and are enabled to take certain actions based on the available data.

In these exemplary systems, "configuration information" for each device may take the form of initialization files (often named \*.ini or \*.conf), configuration registry (such as, the Windows Registry on Microsoft WINDOWS operating systems), or configuration data held in volatile or non-volatile memory. Such configuration information often determines what and how data is accepted from other devices, sent to other devices, processed, stored, or otherwise handled, and in many cases determines what routines and sub-routines are executed in a particular application or operating system.

In one embodiment, security information management system is provided, wherein a database of potential vulnerabilities is maintained, along with data describing remediation techniques (patches, policy settings, and configuration options) available to protect against them. At least one vulnerability is associated in the database with multiple available remediation techniques. In one embodiment, the system presents a user with the list of remediation techniques available to protect against a known vulnerability, accepts the user's selection from the list, and executes the selected technique. In other embodiments, the system uses a predetermined prioritization schedule to automatically select among the available remediation techniques, then automatically executes the selected technique.

One embodiment of the present invention is a database of information about a plurality of devices, updated in real-time and used by an application to make a security-related decision. The database stores data indicating the installed operating system(s), installed software, patches that have been applied, system policies that are in place, and configuration information for each device. The database answers queries by one or more devices or applications attached by a network to facilitate security-related decision making. In one form of this embodiment, a firewall or router handles a connection request or maintenance of a connection based on the configuration information stored in the database that relates to one or both of the devices involved in the transmission.

In one embodiment, database **146** includes vulnerability and remediation information such that, for at least one vulnerability, multiple methods of remediating the vulnerability are specified. When the system has occasion to implement or offer remediation of a vulnerability, all known alternatives are

6

presented that are relevant to the device or machine's particular configuration or setup. For example, when a vulnerability of a device is presented to an administrator, the administrator is given a choice among the plurality of remediation options to remediate the vulnerability. In some embodiments, the administrator can select a preferred type of remediation that will be applied if available and a fallback type. For example, an administrator may select application of a policy setting over installation of a software patch, so that the risk of disruption of critical business systems is minimized.

In other embodiments, an administrator or other user is presented with a set of user interface elements that identify multiple options for remediating and identifying the vulnerability. The administrator or user selects the method to be used, and that remediation is applied to the vulnerable device(s).

FIG. **5A** is a flow chart of a filtering proxy method according to one embodiment of the present invention.

In use, a database maintains security status information on each device in a network, based on whether the device's operating system, software, and patches are installed and configured to meet a baseline level of security. A network gateway proxy blocks connection attempts from devices for which the database indicates a substandard security status, but allows connections from other devices to pass normally. The database is preferably updated on a substantially real-time basis by client-side software run by each device in the network.

Another form of the present embodiment includes a connection proxy that filters connections originating within the network. In particular, one embodiment employs a proxy that denies connection attempts originating with devices in the network when the originating device has a status, reflected in the database, that fails to meet predetermined security characteristics in terms of installed operating system and software, patch levels, and system policy and configuration registry information.

In this embodiment, router **133** serves as a connection proxy for devices and subnet **130**, as will be understood by those skilled in the art. In addition to basic proxy functionality, however, router **133** accesses database **146** on security server **135** via the SDK at each connection attempt. If, for example, device **137** attempts to connect to any device where the connection must pass through the proxy server (router **133** in this example), such as a device on Internet **120**, router **133** checks the security status of device **137** in database **146**, using the real-time status therein to determine whether device **137** complies with one or more predetermined security policies. If it does, router **133** allows the connection to be made. If it does not, router **133** prevents the connection, preferably redirecting the connection to a diagnostic page that explains why the connection is not being made.

This system is illustrated by method **200** in FIG. **5A**. Method **200** begins with start point **201**. The proxy (router **133** in the above example) receives a connection request at block **203**, then retrieves the security status of the source device at block **205**. This preferably uses the real-time updated status information from database **146** (see FIG. **2**) at decision block **207**. If the security status indicates that the source device complies with the predetermined security policy, the proxy allows the connection at block **209**. If not, the proxy refuses the connection at block **211** and redirects the connection to an explanation message (such as a locally generated web page or other message source) at block **213**. In either case, method **200** ends at end point **219**.

In possible embodiments, the determination and decision at block **207** apply a comprehensive minimum policy set that

## US 9,100,431 B2

7

protects other devices in subnet **130** (see FIG. 1) from viruses, trojans, worms, and other malware that might be inadvertently and/or carelessly acquired due to the requested connection.

In another embodiment, a security information management system is provided, wherein client-side devices preferably collect and monitor information describing the operating system, software, and patches installed on the device(s), as well as configuration thereof. A database of this information is maintained, along with data describing vulnerabilities of available software and associated remediation techniques available for it. The system exposes an API to support security-related decisions by other applications. For example, an intrusion detection system (IDS) accesses the database to determine whether an actual threat exists and should be (or has been) blocked.

In another form of this embodiment, client software runs on each monitored device and reports configuration information to the database, so that the database has substantially real-time-current information.

The present embodiment of the present invention advantageously acquires the real-time status information from each client using client-side software. In this manner, a resource burden of monitoring is spread among the devices being monitored, and uses far fewer network resources in the process.

In these exemplary systems, "configuration information" for each device may take the form of initialization files (often named \*.ini or \*.conf), configuration registry (such as the Windows Registry on Microsoft Windows operating systems), or configuration data held in volatile or non-volatile memory. Such configuration information often determines what and how data is accepted from other devices, sent to other devices, processed, stored, or otherwise handled, and in many cases determines what routines and sub-routines are executed in a particular application or operating system.

In one embodiment, a system maintains a database of vulnerabilities and associated remediation techniques. The remediation techniques include software patches, policy settings or changes, and registry settings or changes. This multifaceted provides novel flexibility in management of security issues, and convenience for security administrators in both determining available options and selecting remediation steps for vulnerable systems.

In another embodiment of the present invention, patches, policy changes, software updates, and configuration changes are rolled out to devices on a network using a staged roll-out technique. In this technique, the change is applied to a selected device or set of devices identified by an administrator. After a predetermined amount of time passes, unless the administrator has canceled the roll-out, the change is applied to an additional group of devices on the network. Third- and fourth-tier groups may also be identified by the administrator, where implementation of the remediation or upgrade is automatically effected in subsequent stages a predetermined amount of time after the preceding stage roll-out. Thus, if no failures are noted following a more limited roll-out (on a first set of devices), then the remediation or upgrade is automatically applied to other devices. If, on the other hand, an error or failure is observed, the subsequent roll-out can be canceled so that further failures and problems are avoided.

FIGS. 5B and 6 illustrate a platform, in accordance with possible embodiments.

In one possible embodiment, provided is a platform and underlying back end that includes a logic engine and vulnerability data warehouse. It may easily integrate with and enable network security products such as IDS, scanners, or

8

firewalls to intelligently reference and share the same vulnerability data set, and independently provide complete vulnerability remediation (patching) functionalities such as that provided by the patch management and vulnerability remediation application. Thereby, the technology may improve system accuracy and efficiencies, minimize false positives and false negatives, and provide policy compliance and enforcement capabilities.

The latest network compromises are combining qualities of viruses, worms, and denial of service attacks into new blended attacks. Additionally, blended attacks may now utilize metamorphic or polymorphic abilities to change their signatures to avoid detection. To mitigate these new risks, organizations are now deploying a multi-tiered network defense strategy comprised of a variety of network security components layered at the perimeter and to internal network machines and devices. The security components are managed separately, and possibly their data is ported into a Security Information Management System (SIMS) correlation engine.

However, network security components and correlation engines rely on signatures or anomalies, producing an ever-increasing quantity of data, including false positive, benign, and erroneous events. They also lack the intelligence to identify, reference, or remediate the vulnerabilities targeted by the attack. Furthermore, the time and cost to acquire, manage, and maintain these numerous network security components is overwhelming the end user. Therefore, more sophisticated technology is provided to resolve these performance and management issues.

In one embodiment, technology may be provided that addresses these requirements by making each security component smarter and provides managers with remote remediation options. Thereby, improving system performance and streamlining management processes.

In one embodiment, an intelligent integration platform and SDK are provided to meet the above requirements.

In one embodiment, security products are enhanced and system intelligence may be provided. The same vulnerability data warehouse information is shared with the products so that more intelligent actions may then be taken to mitigate complex threats.

One embodiment cross-references the threat's identifier with the target's configuration. The threat's CVE ID, or other identifier, and the destination IP address are fed into the logic engine where it cross-references the threat with the machine's existing OS, application, and patch configuration profile. An answer is returned accurately indicating if the machine is vulnerable.

In one embodiment, network vulnerabilities are identified. The platform may independently identify which network machines and devices have vulnerabilities by querying a client agent, or a device's OS or firmware directly.

One embodiment proactively remediates the vulnerability. Once a vulnerability is identified, a remediation function may be provided that may remotely and automatically deploy the appropriate update to each machine or device, install it, and document it with change tracking and audit trail reports.

Examples of Anti-Vulnerability applications that may be integrated into network security products for enterprise and small office home office (SOHO) networks when integrated with one embodiment, via the SDK, will be described.

In one embodiment, update or patch deployment are provided, which remotely remediate network vulnerabilities and provide policy compliance and enforcement capabilities. And, for the consumer market, it may additionally support non-security related updates such as application version, performance, and bug-fix upgrades.

## US 9,100,431 B2

9

In one embodiment, an IDS may be provided that accurately determines if the targeted machine is actually vulnerable to an attack; virtually eliminates false positives and false negatives; and adds vulnerability remediation and policy compliance and enforcement functionalities.

In one embodiment, a scanner may be provided that virtually eliminates false positive and false negatives, and adds vulnerability remediation and policy compliance and enforcement functionalities.

In one embodiment, a firewall may be provided that virtually eliminates false positive and false negatives, preventing the security system from denying valid traffic to the organization—self-inflicted denial of service attacks—and adds vulnerability remediation, and policy compliance and enforcement functionalities.

In one embodiment, vulnerability management may be provided, as set forth above.

In one embodiment, multiple products are provided including an IDS, scanner, and firewall. Each may communicate with the same back-end data warehouse, sharing the same vulnerability information, attaining intelligence and more accurate information about the target and its vulnerabilities, thereby more effectively mitigating complex threats.

In one embodiment, change management may be provided, which may automatically create a change request in the system, specifying what update/patch is applicable to what system or groups of systems by vulnerability. After approval of the request, they may automatically deploy and install the update/patch. Finally, they may also verify correct operation after installation and automatically provide all necessary documentation and logging required.

Lastly, the platform may also provide product upgrades and signature updates to each of these various security products.

The platform is comprised of the following software components: SDK, client agent, logic engine, and data warehouse stored on a dedicated on-site server. Network operations center (NOC) Servers periodically synchronize the customers' servers with the latest vulnerability and update data. See FIG. 5B.

The same client agent and on-site server support all security applications that are integrated onto the platform, thereby providing the added anti-vulnerability functionalities presented in the previous section.

There are two system requirements: TCP/IP connectivity, and supported network machines and devices. In one embodiment, platforms supported are set forth below in Table 1.

TABLE 1

All Windows Operating Systems and their applications
All UNIX variants
Cisco routers and firewalls
Toshiba network devices
Netgear network devices
Linksys network devices, including wireless access points

Platform support is scalable to any network size or architecture; consumer, small office home office (SOHO), enterprise, and distributed networks.

In one embodiment, technology may be provided that includes a backend platform that includes a logic engine and vulnerability data warehouse. It may easily integrate with and enable network security products such as IDS, scanners, or firewalls to intelligently reference and share the same vulnerability data set, and independently provide complete vulnerability remediation (patching) functionalities such as that provided by the patch management and vulnerability reme-

10

diation application, update application and the intelligent IDS. Thereby, the technology may improve system accuracy and efficiencies, minimize false positives and false negatives, and provide policy compliance and enforcement capabilities.

As shown in FIG. 5B, the technology may meet market requirements, presented in the next section.

For example, networks are probed at an ever-increasing frequency for vulnerabilities, which may be exploited with compromise attacks. To protect the network, administrators have traditionally set up perimeter defense strategies.

These strategies generally call for network managers to lock down core servers, and monitor/scan/filter all incoming and outgoing traffic at the network perimeter with several network security products such as antivirus and firewalls to identify and attempt to neutralize hackers and malicious code. In the past, these strategies worked well, however new threats are becoming more complex.

The latest malicious code may combine qualities of viruses, worms, and direct compromise attacks into new blended attacks. Virus payloads are becoming more complex and by using metamorphic or polymorphic abilities, viruses are able to change their signatures to avoid the fingerprint-type filtering that most applications employ.

To mitigate these new risks, organizations deploy a multi-tiered network defense strategy comprised of a variety of additional network security products layered at the perimeter and to internal network machines and devices. Such network security products include antivirus, firewall, scanners, and network and host based intrusion detection systems.

Each of these systems is based on specific signatures, rules, or anomalies of each attack and their variants, and do not identify and remediate the specific network vulnerabilities the attack is targeting. So each attack, and its variants, must be identified and analyzed, a signature prepared, then finally deployed to each point product on each customer's network. This process is uncoordinated among multiple disparate systems, and creates an ever-increasing number of signatures producing more and more attack alerts requiring immediate attention—many of which are erroneous. The security components are managed separately, and possibly their data is ported into a security information management system (SIMS) correlation engine.

Additionally, to proactively remediate the vulnerabilities the malicious code is targeting, administrators quickly and diligently update or "patch" each network machine and device, which is a time-consuming and costly process. Further compounding the burden on administrators, best practice and government compliance directives may require higher standards of network security and integrity to protect consumer privacy, and they are documented with change tracking and audit trail reports.

Therefore, it is increasingly difficult and costly to effectively mitigate new threats and manage numerous systems—particularly in an environment of rising security standards and policy compliance requirements.

Thus, the multi-tiered network defense strategy is falling short primarily for four reasons. First, there is an inability of multi-tiered network security products to communicate and share information necessary to mitigate blended threats, and minimize false positives and false negatives. The vulnerabilities targeted by malicious code are not accurately identified nor proactively remediated. The associated excessive aggregate cost of ownership of multiple systems. The excessive administrative burden and cost of managing and maintaining multiple systems.

Hence, there is a need to integrate systems, share information intelligently to better defend against blended threats,

## US 9,100,431 B2

11

reduce management and cost requirements, and automate vulnerability identification and remediation functionalities, as presented in the high-level requirements.

In one embodiment, technology is provided to meet the following market requirements: integrate network security products to share information; provide system intelligence; and remediate network vulnerabilities.

In one embodiment, technology may integrate with and enable network security products to intelligently reference and share information from the same vulnerability data set, provide vulnerability identification and remediation functionalities, and efficiently meet policy compliance and enforcement requirements.

In one embodiment, the platform is a complimentary network security technology. When integrated into the defense strategy, it adds intelligence that more accurately and efficiently mitigates blended threats and offloads the time-consuming functions that burden network administrators.

In one embodiment, the platform enables network security products to share information via its proprietary logic engine to automatically cross-reference the threat identifier with the targeted machine's configuration to determine if it is actually vulnerable to that threat. Previously separate and uncoordinated processes are now more intelligent and automated, resulting in improved system accuracy and efficiency. Therefore the need to layer more and more point products and add a SIMS is reduced, in-turn decreasing the amount of data—particularly erroneous data—to manage. Subsequently, the costs to acquire, operate, and manage the additional multiple point products, and the need to implement a SIMS, are also reduced.

In one embodiment, the platform may also remotely and proactively remediate vulnerabilities by first determining which updates are needed and compatible with each machine or device, taking into account the OS, applications, or firmware installed. Then, the updates may be deployed, installed, and validated. Thereby, policy compliance is effectively and efficiently enforced, and documented.

In one embodiment, the present technology fulfills market requirements noted in the previous section. For example, it may integrate network security products and provides system intelligence. The same vulnerability data warehouse information is shared with all products so that more intelligent actions may then be taken to mitigate complex threats.

Still yet, it may cross-reference the threat's identifier with the target's configuration. The threat's CVE ID, or other identifier, and the destination IP address are fed into the logic engine where it cross-references the threat with the machine's existing OS, application, and patch configuration profile. An answer is returned accurately indicating if the machine is vulnerable. Thereby, minimizes erroneous, benign, and false positive data produced by each security product.

One embodiment identifies network vulnerabilities. The platform may independently identify which network machines and devices have vulnerabilities by querying a client agent, or a device's OS or firmware directly.

One embodiment proactively remediates the vulnerability. Once a vulnerability is identified, a remediation function may be provided that may remotely and automatically deploy the appropriate update to each machine or device, install it, and document it with change tracking and audit trail reports.

Various possible benefits include blended attacks being more effectively mitigated and the overwhelming management and maintenance burden on administrators to purchase, operate, and maintain multiple network security products being reduced, while increasing productivity, reducing costs,

12

and more effectively and efficiently meeting policy compliance and enforcement requirements.

Table 2 illustrates a plurality of end user details.

TABLE 2

	Supplements existing technology to better defend against blended attacks
	Intelligently accesses the vulnerability data warehouse, and remediates vulnerabilities.
	Offers policy compliance and enforcement functionality
10	Vulnerabilities may be automatically remediated, verified and documented, therefore enforcing compliance.
	No additional software or hardware implementation costs
	Anti-Vulnerability functionalities may be integrated into existing product platforms.
15	Reduces cost of ownership of multi network security products
	Shared vulnerability data sets and added vulnerability remediation functionalities may reduce the number of network security products needed to adequately attain defense strategy requirements.
	Reduces management and maintenance costs
	Increased accuracy of vulnerability identification, remediation and policy enforcement, and reduction of false positives, false negatives and denial of service (DoS), significantly reduces management time and costs.
20	Manage more machines and devices on the network through one portal
	Vulnerability remediation and policy compliance and enforcement may be integrated with existing security network security products, and their respective interfaces.
	Minimize end user education/absorption costs
25	Anti-Vulnerability applications are transparently integrated, retaining pre-existing architecture, processes, and interfaces. Therefore, the end user experience remains the same, or improved with simplified or automated processes.
	User experience remains the same - additional time or costs to understand and execute new technologies are minimized
30	Anti-Vulnerability applications may be integrated transparently and seamlessly, and the pre-existing operational processes and user interfaces are virtually unchanged.
	Supports both the enterprise and SOHO networks
	Data warehouse contains vulnerabilities and updates for many machines and devices that operate on both enterprise and SOHO networks.
	Applications presented hereinafter

Examples of applications that may be made available for enterprise and small office home office (SOHO) networks when integrated with Anti-Vulnerability technology via the SDK will now be set forth.

In one embodiment, update or patch deployment is provided. In one embodiment, a patch management and vulnerability remediation solution is provided. The technology enables products to add accurate vulnerability identification, remediation, verification, and policy compliance functions. With such technology, products may gain intelligence, accuracy and efficiency, eliminate false positives and false negatives, and ensure policy compliance, thereby saving the organization time and money. Such functionalities and benefits are available for both the enterprise and SOHO networks. And, for the consumer market, it may additionally support non-security related updates such as application version, performance, and bug-fix updates for widely distributed programs, which may optimize system performance and enhance the consumer experience.

In one embodiment, an IDS is provided. IDS products attempt to identify malicious code by signatures at both the network and host client level. While they may be able to identify malicious code by CVE ID or other identifier, and targeted machines by IP address, but they generally do not have the intelligence to determine if the any of the machines on the network are susceptible to that attack, or with finer granularity, if any machine has a specific vulnerability to that specific attack, or if the targeted vulnerability has already been patched. For example, if the malicious code has been written as a Windows based attack targeting a Windows vulnerability, is the Destination IP actually running Windows, or

## US 9,100,431 B2

13

a UNIX variant? And, if Windows, is it vulnerable to the attack, or has it already been patched? IDS do not have the intelligence to answer these questions, and incident alerts are generated indiscriminately. Lastly, even if the targeted machine is vulnerable—it remains unremediated—an IDS does not have the capability to remediate it.

With the present embodiment, a product architect can integrate functionalities listed in the previous section to enable the IDS to access the Anti-Vulnerability logic engine and platform. It may then have the intelligence to determine if any machine on the network is susceptible to the attack, remediate the vulnerability, mitigate the attack, and verify policy compliance. Now, if no machines were susceptible to the attack, it is identified as an event but not an incident, no further data or alert is generated, and a management response is not required. Integrated products may gain intelligence, accuracy, and efficiency, eliminate false positives and false negatives, and ensure policy compliance, thereby saving the organization time and money. Such functionalities and benefits are available for both the enterprise and SOHO networks.

In one embodiment, scanners may be provided. Vulnerability scanners assess each machine on the network for vulnerabilities, and create lists of potential vulnerabilities to the system managers. The lists commonly contain many false positives and false negatives, burdening the system and managers with inaccuracies.

With the present embodiment, a product architect can integrate functionalities listed in the previous section to enable the scanner to access the logic engine and platform, and then have the intelligence to determine if the machine has actual vulnerabilities, remediate them, and verify policy compliance. Integrated products may gain intelligence, accuracy, and efficiency, eliminated false positives and false negatives, and ensured policy compliance, thereby saving the organization time and money.

In one embodiment, a firewall may be provided. “Smart” firewalls are based in part on signatures and other similar functionalities as the IDS products described above.

With the present embodiment, the firewall can determine whether an attack is valid or a false positive, thereby preventing the security system from denying valid traffic to the organization—self-inflicted DoS attacks. Such functionalities and benefits may be available for both the enterprise and SOHO networks.

In one embodiment, vulnerability management may be provided. Vulnerability management products enable managers to set policy and identify potential network vulnerabilities. They typically do not accurately identify each vulnerability on each network machine and device, nor remediate each vulnerability, meeting policy compliance enforcement requirements.

The present embodiment offers similar functionalities and benefits as the patch deployment products described above. In short, it enables products to add accurate vulnerability identification, remediation, verification, and policy compliance and enforcement. Such functionalities and benefits are available for both the enterprise and SOHO networks.

To this end, multiple products may be provided: IDS, scanner, firewall, and vulnerability management. Each product functions as the individual products noted above. Each may be deployed and operated on the network in a multi-tiered network defense strategy. They may be disparate system, and their signatures and update deployment schedules may vary. Therefore, the probability of mitigating a new and complex threat decreases, while management requirements and cost increases.

14

In one embodiment, they each may communicate with the same backend data warehouse, sharing the same vulnerability information, attaining intelligence and more accurate information about the target and its vulnerabilities, thereby more effectively mitigating complex threats. It may also enable the products to add accurate vulnerability identification, remediation, verification, and policy compliance and enforcement functionalities.

In one embodiment, change management (CM) may be provided. Existing CM applications control the documentation and logging of change throughout the enterprise. These applications ensure that an organization maintains consistent records of what happened and when. Currently administrators must independently recognize that a security patch/update must be deployed to a computer or group of computers.

The user enters the request in the system, through the pipelined process of change management the request would be approved, the patch/update would be manually installed by a user, then documented in the change management software that the process has been completed. While CM software assists in documentation, very little if any assistance may be provided to identify the patches/updates needed, nor verifying correct function after the update/patch is installed.

With the current possible embodiment, change management integration may greatly streamline this process further reducing total cost of ownership, ease of use, and a higher standard of documentation. The products may then automatically create a change request in the system, specifying what update/patch is applicable to what system or groups of systems by vulnerability. After approval of the request, they may automatically deploy and install the update/patch. Finally, they may also verify correct operation after installation and automatically provide all necessary documentation and logging required.

Lastly, one possible embodiment may also provide product upgrades and signature updates to each of these various security products—including all of the technology benefits such as ensuring compliance of signature versions, logging, reporting, and verification of installation.

Thus, one possible embodiment includes an intelligent platform that may supplement any existing defense strategy. Once integrated with the technology, security products may share the same vulnerability data set to improve automation and accuracy—increasing efficiencies and minimizing false positives and false negatives. It also enables remote identification, management, and remediation of network vulnerabilities, and provides update deployment, validation, and reporting capabilities. Thereby, the technology improves network security and integrity, mitigation of blended threats, while increasing productivity, reducing total cost ownership, and more effectively and efficiently attaining policy compliance and enforcement requirements.

One embodiment provides IDS intelligence, accuracy and remote patching functions—IDS data output integrated with the aforementioned platform via the SDK. The platform’s underlying backend including a logic engine and vulnerability data warehouse provides the added functions and performance.

Conventional IDS produce an ever-increasing quantity of alert data, including erroneous and false positive data. They also lack the intelligence to identify or remediate the vulnerabilities targeted by the attack. Furthermore, the cost of the acquiring, managing, and maintaining conventional IDS is overwhelming the end user.

Therefore, a more sophisticated, intelligent technology is provided to resolve these issues. In one embodiment, an intelligent IDS is provided to meet market requirements. The alert

## US 9,100,431 B2

15

data output from a distribution of Snort is integrated with the platform via the SDK, which may add the following functions.

In one embodiment, it cross-references the threat's identifier with the target's configuration. The CVE ID, or other identifier, and the Destination IP address are fed into the logic engine where it cross-references the threat with the machine's configuration profile.

In one embodiment, it virtually eliminates false positives and false negatives. The backend accurately determines in real time if the targeted machine is susceptible to the attack. And, if the machine is not susceptible, it is filtered and reported back as an event and not an incident. No further data or alert is generated, and a management response is not required.

In one embodiment, it remotely remediates the vulnerability. When a machine is identified as vulnerable to an attack, an incident, a remediation function may be provided to the administrator to remotely deploy the appropriate update to the machine or device, install it, verifies the files and hashes, and document it with change tracking and audit trail reports.

Table 3 sets forth a plurality of features.

TABLE 3

Supports Windows and UNIX variants
Determines if targeted machine is vulnerable to an attack in real time
Filters out erroneous, benign and false positive alerts
Remotely patches targeted vulnerabilities in one click
Installs in minutes

To this end, erroneous, benign, and false positive data is filtered out, and incidents may be remotely remediated. Therefore, complex threats are more effectively and efficiently mitigated. Correspondingly, the management and maintenance burden on administrators is reduced, saving time and effort.

FIG. 7 illustrates an intelligent IDS, in accordance with one embodiment. As shown in 701, the on-site server periodically initiates communication with the NOC servers. In 702, updates are pulled from the NOC servers to the on-site server. In 703a, a sensor monitors and processes network traffic, and sends real time alert data to the on-site server where it cross-references the data with the backend. In 703b, centralized IDS console filters alerts; separating events from incidents. It also offers administrators remote patching function. In 704, agents are deployed to each client, accurately identifying which OS, apps, and updates are installed. In 705, the logic engine automatically determines which updates are needed to remediate the targeted machine. As shown in 706, appropriate updates are remotely deployed, installed, and validated on each client.

In one embodiment, the intelligent patch management and vulnerability remediation application automatically updates computer OS and application vulnerabilities before they can be exploited by hackers and viruses.

Networks are probed at an ever-increasing frequency for vulnerabilities, which may be exploited with directed compromise attacks. To protect the network, administrators must diligently update or "patch" server and workstation vulnerabilities, which is a time-consuming and costly process. Further compounding the burden on administrators, best practice and government compliance directives now require higher standards of network security to protect consumer privacy and proprietary data, which must be documented with change tracking and audit trail reports. Therefore, fully automated technology is provided to resolve these issues.

16

In one embodiment, an intelligent application called SysUpdate—the first technology to fully automate the updating and reporting processes, as described below.

In terms of function, one possible embodiment automatically researches updates. In collaboration with software development companies, it receives updates and their respective compatibility and installation guidelines, which are thoroughly reviewed and tested in a lab for system compatibility and stability. One embodiment automatically and securely downloads, and archives, all updates. Once the updates and guidelines are thoroughly reviewed and tested, they are automatically downloaded to each customer's on-site server, verified with MD5 hashes, and archived in a self-populating patch repository database.

One possible embodiment automatically determines the update and dependency requirements for all computers on a network, based on their individual operating systems, applications, and previously installed updates. The logic engine automatically matches the tested updates and their guidelines across each computer's configuration profile.

One possible embodiment remotely, securely, and automatically deploys updates to each computer and device. Updates may be tested on a test group, and then queued for release to each computer on the network, consistently in accordance with the policy determined by the network administrator.

One possible embodiment automatically verifies the updates are installed and running correctly. Each computer's client agent installs the updates, and verifies the files and hashes.

One possible embodiment automatically generates change tracking and audit trail reports. Change tracking and audit trail reports may be selected and printed from the management console reporting modules. Additionally, application license audit reports may be generated, which lists software installed on each machine, by license key.

Table 4 illustrates possible features in one embodiment.

TABLE 4

Supports Windows, UNIX variants, and network devices
Supports non-Microsoft applications
Logic engine provides system intelligence
Files verified with SHA1 or MD5 hashes
MMC snap-in console with Crystal Reports
AES encryption

FIG. 8 illustrates an update system, in accordance with one embodiment.

As shown in 801, the on-site server periodically initiates communication with the off-site NOC servers. In 802, updates are pulled from the NOC servers to the on-site server. In 803, the centralized MMC snap-in console offers flexible security policy options and comprehensive reporting capabilities. In 804, agents accurately identify OS, apps, and updates installed on each client by file versions and hashes. In 805, logic engine automatically determines which updates are needed on each client, taking into account OS, app, and update dependencies. In 806, appropriate updates are automatically deployed, installed, and validated on each client.

In one embodiment, a secure computer log management application is provided with fully automated archiving, querying, and reporting options.

Best practice directives and government compliance regulations now require administrators to archive log events over an extended period of time, and extensively document log and audit trail reports. With existing tools, these are time-consuming processes. Furthermore, existing tools transfer logs in

## US 9,100,431 B2

17

clear text and are subject to malicious manipulation, and logs may be lost since few utilize guaranteed delivery protocols. Therefore, the integrity and security of the log data is not assured. In the event of an internal or external compromise, logs may be deleted, manipulated, or the network flooded with decoy log data.

The present possible embodiment automatically and continuously transfers logs from each computer into a self-configuring, self-populating, maintenance-free database where they may be archived for years on end. The transfer process utilizes AES encryption for authentication between the client and server, and a guarantee delivery protocol—ensuring no data is compromised or lost. Flexible cross-correlation queries may be run from a single, remote viewer console, and the data is then automatically formatted into reports.

In one embodiment, cross-correlation query type descriptions are provided. Such embodiment may provide the following three flexible cross-correlation queries in Table 5, which provide increasing detail and breadth of filtering/sorting capabilities, respectively.

TABLE 5

General Queries - This is the default query. It filters or sorts the logs of any one computer, by any one of the three log types.  
Specific Queries - Detailed queries across all machines, and all log types.  
Advanced Queries - Query across any combination of machines, by any combination of sources, events, and log types, over any period of time.

In one embodiment, features shown in Table 6 may be provided.

TABLE 6

Continuously pulls all logs into a central database, which may be archived for years on end  
AES encryption and a guarantee delivery protocol ensure logs are not compromised or lost  
Queries may be across any computer, for any log type, over any time frame  
Automatically generates event log reports - ideal for documenting audit and compliance requirements  
Easy download installation

In one embodiment, automated reports may be provided. Query data is automatically formatted into professional reports. Also, a separate reporting interface is available to generate general, machine, and user statistics. The present embodiment quickly and easily fulfills best practice and government compliance requirements for log event archiving and reporting.

FIG. 9 shows a configured network, in accordance with one embodiment.

As shown in 901, the server component automatically configures the application, and the database and communicates with the client agents. In 902, client agents are deployed, which then identifies, manages, and continuously transfers all logs to the server. In 903, all client log data may be automatically archived the self-populating database, for years on end. In 904, from the centralized viewer, general, specific, or advanced cross-correlation queries may be run. See Table 7. Query and statistics data is automatically formatted into professional reports to easily document audit and compliance requirements.

18

TABLE 7

Filter/Sort By:	General	Specific	Advanced
# of Computers	Any One	Any One	Any
# of Log Types	Any One	All	Any
Period of Time	Last or All	Last or All	Any
# of Event Detail Fields*	By ID Only	Any One	Any

\*Defined as Time/Date Written, UserID, ComputerID, EventID, Source, Type, and Category

One possible embodiment provides best practice security policy templates to proactively and remotely manage and enforce enterprise security compliance policies.

Best practice and government compliance directives require higher standards of network security to protect consumer privacy and proprietary data, which must be consistently enforced, and documented with change tracking and audit trail reports for compliance verification. Therefore, a fully automated technology is provided to resolve these issues.

One embodiment offers an intelligent application to manage and enforce security policies—the first technology to fully automate the policy configuration, enforcement, and reporting processes, as described below.

In one embodiment, centralized, remote management is provided. The policy compliance and enforcement module is managed via the centralized management console—in MMC format, and automates the deployment, assessment, and enforcement of the policy chosen.

One embodiment provides standardized policies selected from many standardized policy templates recommended by NSA, SANS, US Navy, and ISO 17799, or custom policy options to formulate policies that meet the individual needs of any organization.

One possible embodiment automatically determines out-of-compliance parameters for all computers and devices on a network. Based on each client's individual policy parameter settings and configuration profile, the system's logic engine automatically reports back each client's out-of-compliance parameters.

In one embodiment, it remotely, securely, and automatically enforces policy to each computer or device. Policy changes may be automatically enforced to each computer or device individually, or by group, consistently in accordance with the policy selected by the network administrator. Policy configuration profiles are transmitted between client agent and server in an AES encrypted format for security and privacy. Policy options may be rolled back with one-click.

Automatically generates change tracking and audit trail reports. Change tracking and audit trail reports may be selected and printed from the Management Console's Reporting Center. Table 8 sets forth some possible features.

TABLE 8

Supports Windows, UNIX variants, and network devices  
Supports NSA, SANS, Navy, ISO 17799 and other standardized policies  
Logic engine provides system intelligence  
One-click policy rollback  
Automatically generates change tracking and audit trail reports

FIG. 10 shows policy compliance and enforcement, in accordance with one embodiment.

As shown in 1001, the on-site server periodically initiates communication with the off-site NOC servers. In 1002, templates, rules, and updates are pulled from the NOC servers to the on-site server. In 1003, a centralized management console

## US 9,100,431 B2

19

offers flexible security policy templates, options, and comprehensive reporting capabilities. In **1004**, agents are automatically deployed to each client, accurately identifying which policy parameters, OS, apps, and updates are applied or installed. In **1005**, a logic engine automatically determines which clients are out of compliance. In **1006**, appropriate policy changes are automatically enforced on each client.

In one embodiment an intelligent IPS may be provided that provides intelligence, accuracy, real-time prevention, and remote patching functions. In one embodiment, it accurately identifies and prevents malicious code from reaching their destination at the in-line IPS Sensor. Thereafter, a security officer may remotely patch the targeted vulnerability.

Conventional IDS/IPS produce an ever-increasing quantity of alert data, including erroneous and false positive data. They also lack the intelligence to identify or remediate the vulnerabilities targeted by the attack. Furthermore, the cost of the acquiring, managing, and maintaining conventional IPS is overwhelming the end user.

Therefore, a more sophisticated, intelligent technology is provided to resolve these issues, by offering an intelligent IPS to meet market requirements. The alert data output from a standard distribution of Snort is integrated with the platform via the SDK which accurately identifies attacks, and the attack is terminated at the in-line sensor—as described in the following functions.

One embodiment cross-references the threat's identifier with the target's configuration. The in-line Sensor monitors and processes traffic and sends alert data to the on-site server where its logic engine queries the backend in real-time to determine if the destination IP is vulnerable to the attack.

One possible embodiment provides enhanced flex response. If the destination IP is vulnerable to the attack, the in-line Sensor is commanded to immediately drop the exploit packets—preventing the attack. Further, it remotely remediates the vulnerability. When a machine is identified as vulnerable to an attack, an incident, a remediation function is also provided to the administrator to remotely deploy the appropriate update to the machine or device, install it, verifies the files and hashes, and documents it with change tracking and audit trail reports.

In one embodiment, attacks are accurately identified and mitigated before they reach their targets, and targeted vulnerabilities may be remotely remediated. Therefore, complex threats are more effectively and efficiently mitigated. Correspondingly, the management and maintenance burden on administrators is reduced, saving time and effort.

Table 9 illustrates some possible features.

TABLE 9

Supports Windows and UNIX variants
Determines in real-time if targeted machine is vulnerable to an attack, virtually eliminating false positives
in-line Sensor flex response terminates the attack
Remotely patches targeted vulnerabilities in one click
Installs in minutes

FIG. 11 illustrates an intelligent IPS, in accordance with one embodiment.

As shown in **1101**, the on-site server periodically initiates communication with the NOC servers. In **1102**, updates are pulled from the NOC servers to the on-site server.

In **1103a**, an IPS in-line sensor monitors and processes network traffic, and sends real time alert data to the on-site server where it cross-references the data with the backend. In **1103b**, if the destination IP is vulnerable to the attack, the in-line Sensor is commanded in real-time to drop the mali-

20

cious packets. As shown in **1104**, agents are deployed to each client, accurately identifying which OS, apps, and updates are installed. In **1105**, the logic engine automatically determines which updates are needed to remediate the targeted machine, and may be remotely deployed from the IPS console. In **1106**, appropriate updates are remotely deployed, installed, and validated on each client.

In one embodiment, an anti-vulnerability SDK is provided. The SDK was designed to be a simple integration pathway to the Anti-Vulnerability platform backend. The SDK is documented and deliverable. The SDK is compatible with many different programming languages such as C, C++, VB, Java, and others.

The technology is sophisticated, yet all of the details of managing the communications are implemented in the library, requiring the developer to only learn a simple function calls as detailed hereinafter. A product architect chooses the functionality desired, inserts the provided functionality SDK code into the product code. The SDK code may then query—via the logic engine—the data warehouse, and in turn may return an answer to the point product. The architect can then show the results in any format desired in the product's interface. Full vulnerability remediation and policy compliance and enforcement functionalities may be integrated as well.

FIG. 12 illustrates an SDK function call flow, in accordance with one embodiment.

Hence, the SDK serves as the architect's tool belt or building blocks needed to quickly and transparently access the Anti-Vulnerability backend and seamlessly integrate the desired functionality into the product without changing or complicating the end user experience.

Furthermore, the SDK enables system architects to use the Anti-Vulnerability platform to integrate multiple security products and functionalities. Products may then share the same vulnerability data set, improve system automation and accuracy—increasing efficiencies and minimizing false positives and false negatives, and coordinate policy compliance and enforcement functionalities.

Anti-Vulnerability functions that are accessible via the SDK. The functions are presented in groups, as follows in Table 10.

TABLE 10

Session Management
Group Management Functions
Client Management Functions
Patch Management Functions
Polling Functions
User Management Functions
Miscellaneous Functions
Policy Compliance Functions
Session Management Functions

Table 11 sets forth Session Management Functions

TABLE 11

OpenSession - Parameters: HOST name or IP address, LOGIN and PASSWORD for host
Returns: new SESSION
Description: This function opens a new session to the OnSite Server
CloseSession - Parameters: SESSION to close
Returns: None
Description: Closes a session that is no longer needed

## US 9,100,431 B2

21

TABLE 11-continued

IsSessionGood - Parameters: SESSION to test	
Returns: TRUE or FALSE	
Description: returns TRUE if the session is still valid FALSE if it is not	
SUGetLastError - Parameters: None	
Returns: Error code of last error in the thread	
Description: Returns the error code of the last SDK error to occur in this thread	
SUSetLastError - Parameters: ERROR code to set	
Returns: None	
Description: Sets the error code for the thread to be returned by SUGetLastError	

22

TABLE 11-continued

GetSDKVersion - Parameters: None	
Returns: a WORD containing the version of the SDK	
Description: the MSB of the returned value is the major version number, the LSB is the minor version number	5
Ping - Parameters: SESSION to use, VALUE to ping with	
Returns: VALUE on success 0 on failure	
Description: attempts to pass VALUE to the OnSite Server, which should pass it back.	10

Table 12 sets forth Group Management Functions.

TABLE 12

CreateGroup - Parameters: Group NAME and Description	
Returns: GROUP that was just created or 0 on failure	
Description: This function creates a new group with the provided name and Description	
GetGroups - Parameters: None	
Returns: A LIST of GROUPs.	
Description: This function Returns a list of all configured groups.	
GetGroupsEx - Parameters: None	
Returns: A LIST of GROUPINFO structures	
Description: This function Returns a list of all configured groups' information	
DeleteGroup - Parameters: GROUP to be deleted.	
Returns: Success or failure	
Description: This function permanently removes a group.	
EditGroup - Parameters: GROUP to be edited, GROUPINFO to be applied	
Returns: Success or failure	
Description: This function changes a GROUP's information	
GetGroupPolicyOSCategories - Parameters: GROUP to get information about	
Returns: A LIST of OPERATINGSYSTEMCATEGORYs that have group policies configured	
Description: This function retrieves a list of operating system categories that have group policies configured	
GetGroupPolicyOSSubCategories - Parameters: GROUP to get information about, OPERATINGSYSTEMCATEGORY to get sub category information about	
Returns: A LIST of OPERATINGSYSTEMSUBCATEGORYs	
Description: This function retrieves a list of operating system sub-categories of OPERATINGSYSTEMCATEGORY that have policies for the GROUP	
GetGroupPolicyInfo - Parameters: GROUPPOLICY to get information about, GROUPPOLICYINFO pointer to receive the information	
Returns: Success or Failure	
Description: This function fills the passed GROUPPOLICYINFO structure with the information for the GROUPPOLICY	
GetGroupPolicyInfoByOSCat - Parameters: GROUP to get information about, OPERATINGSYSTEMCATEGORY to get the policy for, GROUPPOLICYINFO pointer to receive the information	
Returns: Success or failure	
Description: This function retrieves the information for a policy for the OPERATINGSYSTEMCATEGORY in the GROUP	
GetGroupPolicyInfoByOSSubCat - Parameters: GROUP to get information about, OPERATINGSYSTEMSUBCATEGORY to get the policy for, GROUPPOLICYINFO pointer to receive the information	
Returns: Success or failure	
Description: This function retrieves the information for a policy for the OPERATINGSYSTEMSUBCATEGORY in the GROUP	
DeleteGroupPolicy - Parameters: GROUPPOLICY to delete	
Returns: Success or failure	
Description: This function permanently deletes the GROUPPOLICY	
EditGroupPolicy - Parameters: GROUPPOLICYINFO with new information	
Returns: Success or failure	
Description: This function updates the group policy (contained in GROUPPOLICYINFO) with the information in GROUPPOLICYINFO	
AddGroupPolicy - Parameters: GROUP to add the policy to, GROUPPOLICYINFO containing the policy information	
Returns: Success or Failure	
Description: This function creates a new group policy and applies it to the GROUP	
GetClientsInGroup - Parameters: GROUP to retrieve the clients from	
Returns: LIST of CLIENTs belonging to the group	
Description: This function retrieves a list of clients that are members of a specific group	
GetClientsInGroupEx - Parameters: GROUP to retrieve the clients from	
Returns: LIST of CLIENTINFOs for clients belonging to the group	
Description: This function Returns a list of CLIENTINFO structures containing information for the clients that belong to this group	
AddClientToGroup - Parameters: CLIENT to add to a group, GROUP to add the client to.	
Returns: Success or failure	
Description: This function adds a client to a group	

US 9,100,431 B2

23

24

TABLE 12-continued

---

RemoveClientFromGroup - Parameters: CLIENT to remove from group, GROUP to remove the client from
Returns: Success or failure.
Description: This function removes a client from a group.
MoveClientToGroup - Parameters: CLIENT to move, GROUP to move client to
Returns: Success or Failure
Description: This function moves CLIENT to GROUP
GetUngroupedClients - Parameters: None
Returns: LIST of ungrouped clients
Description: This function Returns a LIST of the clients that do not belong to any group
GetUngroupedClientsEx - Parameters: None
Returns: LIST of CLIENTINFO structures
Description: This function Returns a LIST of CLIENTINFO structures for the clients that do not belong to any group
GetGroupInfo - Parameters: GROUP to get information about, GROUPINFO pointer to receive the information
Returns: Success or failure
Description: This function retrieves the information for the GROUP

---

Table 13 sets forth Client Management Functions.

TABLE 13

---

GetClientInstalledSoftware - Parameters: CLIENT to get information about
Returns: LIST of SOFTWARE installed on the client
Description: This function retrieves a list of the software that has been detected on the client
GetClientInstalledSoftwareEx - Parameters: CLIENT to get information about
Returns: LIST of SOFTWAREINFO for software installed on the client
Description: This function returns a LIST of SOFTWAREINFO structures describing the software detected on the client
GetClientInstalledPatches - Parameters: CLIENT to get information from.
Returns: LIST of PATCHes corresponding to the installed patches on the client
Description: This function retrieves a list of patches that were verified as installed on the last polling
GetClientInstalledPatchesEx - Parameters: CLIENT to get information from
Returns: LIST of PATCHINFO structures corresponding to the installed patches on the client
Description: This function retrieves a LIST of PATCHINFO structures for patches that were verified as installed on the last polling
GetClientPendingPatches - Parameters: CLIENT to get information from.
Returns: LIST of PATCHes corresponding to the pending patches for the client
Description: This function returns a list of patches that the client needs (according to group policy) as of the last polling.
GetClientPendingPatchesEx - Parameters: CLIENT to get information from
Returns: A LIST of PATCHINFO structures corresponding to the pending patches for the client
Description: This function returns a LIST of PATCHINFO structures for patches that the client needs (according to group policy) as of the last polling.
GetClientPendingServicePack - Parameters: CLIENT to get information from
Returns: SERVICEPACK if a service pack is pending or 0 if not
Description: This function returns a SERVICEPACK if there is a service pack pending for the client (according to group policy) as of the last polling. If there is no service pack pending it returns 0
GetClientPendingSoftware - Parameters: CLIENT to get information from
Returns: LIST of SOFTWARE that is pending
Description: This function returns a list of software that is pending for the client (according to group policy) as of the last polling
GetClientLogs - Parameters: CLIENT to get information from
Returns: LIST of LOGs for the client.
Description: This function returns a list of logs for a particular client.
GetClientLogsEx - Parameters: CLIENT to get information from
Returns: LIST of LOGININFO structures
Description: This function returns a list of LOGININFO structures containing log entries for a particular client.
DeleteClient - Parameters: CLIENT to delete.
Returns: Success or failure.
Description: This function removes all information pertaining to this client from the SysUpdate database.
GetClientOS - Parameters: CLIENT to get information from
Returns: OPERATINGSYSTEM installed on client
Description: This function returns the OPERATINGSYSTEM installed on the client
GetClientServicePack - Parameters: CLIENT to get information from
Returns: SERVICEPACK installed on client or 0
Description: This function returns the service pack installed on the client or 0 if the client does not have a service pack installed, or if service packs are not applicable to the client's platform

---

US 9,100,431 B2

25

TABLE 13-continued

---

GetClientInfo - Parameters: CLIENT to get information from CLIENTINFO pointer to receive the information  
Returns: Success or failure  
Description: This function fills the passed CLIENTINFO structure with information pertaining to the passed CLIENT

GetClientFromIP - Parameters: IP address of client  
Returns: CLIENT that corresponds to the passed IP address  
Description: This function maps IP addresses to clients

---

26

Table 14 sets forth Patch Management Functions.

TABLE 14

---

GetPatchInfo - Parameters: PATCH to get information about, PATCHINFO pointer to receive information  
Returns: Success or failure  
Description: This function fills the passed patch info structure with information about the passed patch

InstallPatchForClient - Parameters: CLIENT to install the patch on, PATCH to install  
Returns: Success or failure  
Description: This function deploys the patch to the client. Installation proceeds asynchronously

InstallPatchForGroup - Parameters: GROUP to install the patch on, PATCH to install  
Returns: Success or failure  
Description: This function deploys the patch to all clients in the group

InstallAllPendingForClient - Parameters: CLIENT to install patches on  
Returns: Success or failure  
Description: This function deploys all pending patches for a client to the client

InstallAllPendingForGroup - Parameters: GROUP to install patches on  
Returns: Success or failure  
Description: This function deploys all pending patches to all clients in a group

RejectPatchForClient - Parameters: CLIENT to reject patch for, PATCH to reject  
Returns: Success or failure  
Description: This function rejects a patch for a client. This patch will not be queued down or installed

RejectPatchForGroup - Parameters: GROUP to reject patch for, PATCH to reject  
Returns: Success or failure  
Description: This function rejects a patch for every client in a group. This patch will not be queued down or installed

RequeuePatchForClient - Parameters: CLIENT to requeue the patch for, PATCH to requeue  
Returns: Success or failure  
Description: This function requeues a previously rejected patch for a client

RequeuePatchForGroup - Parameters: GROUP to requeue the patch for, PATCH to requeue  
Returns: Success or failure  
Description: This function requeues a previously rejected patch for every client in a group

RemovePatchFromClient - Parameters: CLIENT to remove patch from, PATCH to remove  
Returns: Success or failure  
Description: This function will uninstall a patch from a client

RemovePatchFromGroup - Parameters: GROUP to remove patch from, PATCH to remove  
Returns: Success or failure  
Description: This function will uninstall a patch for every client in a group

InstallServicePackForClient - Parameters: CLIENT to install service pack on, SERVICEPACK to install on client  
Returns: Success or failure  
Description: This function will install a service pack on a client

InstallServicePackForGroup - Parameters: GROUP to install service pack on, SERVICEPACK to install  
Returns: Success or failure  
Description: This function will install a service pack on every client in a group

InstallSoftwareForClient - Parameters: CLIENT to install software update on, SOFTWARE to install  
Returns: Success or failure  
Description: This function will install a software update on a client

InstallSoftwareForGroup - Parameters: GROUP to install software update on, SOFTWARE to install  
Returns: Success or failure  
Description: This function will install a software update on every client in a group.

GetCveIDsFromPatch - Parameters: PATCH to get CveIDs from  
Returns: A LIST of CVEIDs  
Description: This function returns a list of CVEIDs the correspond to the PATCH

---

## US 9,100,431 B2

27

Table 15 sets forth Polling Functions.

TABLE 15

PollClient - Parameters: CLIENT to poll
Returns: Success or failure.
Description: This function causes a client to be polled by the OnSite Server immediately.
PollGroup - Parameters: GROUP to poll
Returns: Success or failure.

28

TABLE 15-continued

Description: This function causes all the clients in a particular group to be polled immediately.
PollAll - Parameters: NONE
Returns: Success or failure.
Description: This function causes all clients to be polled immediately.

Table 16 sets forth User Management Functions.

TABLE 16

GetUsers - Parameters: None
Returns: A LIST of USERS
Description: This function returns a list of all users for the system
GetUserInfo - Parameters: USER to get information about, USERINFO pointer to receive the information
Returns: Success or failure
Description: This function populates the passed USERINFO structure with information about the passed USER
GetUserGroupPrivileges - Parameters: USER to get information about
Returns: A LIST of USERGROUPPRIVILEGES
Description: This function returns a LIST of USERGROUPPRIVILEGES representing the privileges that a particular user has
GetUserGroupPrivilegesEx - Parameters: USER to get information about
Returns: A LIST of USERGROUPPRIVILEGEINFO structures
Description: This function returns a LIST of USERGROUPPRIVILEGEINFO structures representing the privileges that a particular user has
GetUserGroupPrivilegeInfo - Parameters: USERGROUPPRIVILEGE to get information about, USERGROUPPRIVILEGEINFO pointer to receive information
Returns: Success or failure
Description: This function populates the passed USERGROUPPRIVILEGEINFO structure with the details of the particular privilege
GetUserGroupPrivilegeInfoByGroup - Parameters: USER to get information about, GROUP to get information for, USERGROUPPRIVILEGEINFO pointer to populate
Returns: Success or Failure
Description: This function populates the passed USERGROUPPRIVILEGEINFO structure with the detailed information regarding the permissions that the passed user has on the passed group
AddUserGroupPrivilege - Parameters: USERGROUPPRIVILEGEINFO structure to add
Returns: Success or failure
Description: This function adds a USERGROUPPRIVILEGE
EditUserGroupPrivilege - Parameters: USERGROUPPRIVILEGEINFO with new values
Returns: Success or failure
Description: This function edits the USERGROUPPRIVILEGEINFO structure passed in, assign it the new values
DeleteUserGroupPrivilege - Parameters: USERGROUPPRIVILEGE to delete
Returns: Success or failure
Description: This function deletes the passed USERGROUPPRIVILEGE from the system
AddUser - Parameters: USERNAME, PASSWORD, and USERTYPE
Returns: USER representing the user that was just created
Description: This function creates a new user with the provided username, password, and type, and returns a USER representing the new user or 0 in the case of an error
DeleteUser - Parameters: USER to delete
Returns: Success or failure
Description: This function permanently deletes the USER from the system along with any privileges the user may have had
ChangeUserPassword - Parameters: USER to change password for, new PASSWORD
Returns: Success or failure
Description: This function changes the password for a user
ChangeUserRole - Parameters: USER to change role, ROLE to change to
Returns: Success or failure
Description: This Function changes a user's role
GetUserFromName - Parameters: USERNAME
Returns: USER corresponding to the passed user name
Description: This function provides a mapping from user names to USERS

Table 17 sets forth Miscellaneous Functions.

TABLE 17

CreateList - Parameters: None
Returns: A new, empty, LIST
Description: This functions creates a new LIST that is initially empty

US 9,100,431 B2

29

30

TABLE 17-continued

---

GetListItemEx - Parameters: LIST to retrieve item from, INDEX of item to retrieve, VOID pointer to receive item
Returns: Success or failure
Description: This function populates the memory pointed to by VOID with the contents of the LIST item at INDEX
GetListSize - Parameters: LIST to get the size of
Returns: the size of the LIST
Description: This function returns the number of elements currently in the list
AddItemToList - pointer to LIST to add the item to, LONG item to add
Returns: None
Description: This function adds an "item" (such as a GROUP or a CLIENT) to a LIST
AddClientInfoExToLst - See AddItemToList
AddGroupInfoToLst - See AddItemToList
AddPatchInfoExToLst - See AddItemToList
AddSoftwareInfoToLst - See AddItemToList
AddSoftwareCategoryInfoToLst - See AddItemToList
AddUserGroupPrivilegeInfoExToLst - See AddItemToList
RemoveItemFromList - Parameters: pointer to LIST to remove the item from, INDEX of item to remove
Returns: None
Description: This function removes the item at INDEX from the LIST
FreeList - LIST to deallocate
Returns: None
Description: This function deallocates the resources used by LIST
GetSoftwareInfo - Parameters: SOFTWARE to get information for, SOFTWAREINFO pointer to hold the information
Returns: Success or failure
Description: This function populates the SOFTWAREINFO structure pointed at with information regarding the SOFTWARE
GetLogInfo - Parameters: LOG to get information about, LOGININFO pointer to contain the information
Returns: Success or failure
Description: This function populates the LOGININFO structure pointed at with information regarding the LOG
GetSoftwareCategories - Parameters: None
Returns: A LIST of SOFTWARECATEGORYs
Description: This function returns a LIST of SOFTWARECATEGORYs
GetSoftwareCategoriesEx - Parameters: None
Returns: A LIST of SOFTWARECATEGORYINFO structures
Description: This function returns LIST of SOFTWARECATEGORYINFO structures for every software category known on the system
GetSoftwareCategoriesForOperatingSystemCategory - Parameters: an OPERATINGSYSTEMCATEGORY to get information for
Returns: A LIST of SOFTWARECATEGORYs
Description: This function returns a LIST of software categories for the passed operating system category.
GetSoftwareCategoriesForOperatingSystemCategoryEx - As above only, returning the appropriate "info" structures in the list
GetSoftwareCategoryInfo - Parameters: SOFTWARECATEGORY to get information for, SOFTWARECATEGORYINFO pointer to contain the information
Returns: Success or failure

---

45

Table 18 sets forth Policy Compliance Functions.

These functions are provided in a separate source tree (policy tree) for the Policy Compliance and Enforcement module. Function include: Password/system access policies, log configurations, audit settings, user/group privilege rights, general service settings, service permissions, registry values, registry permissions, file permissions. It can also perform deltas on and get information about: groups, users, services, and all the "Run" registry keys.

The function calls are being integrated into the live production tree and subject to change.

TABLE 18

---

GetPolicyItemInfo - As GetOperatingSystemInfo for POLICYITEM and POLICYITEMINFO
InstallPolicyItemForClient - As InstallPatchForClient for POLICYITEM
InstallPolicyItemForGroup - As InstallPatchForGroup for POLICYITEM
InstallAllPendingPolicyItemsForClient - As
InstallAllPendingPatchesForClient for POLICYITEM
InstallAllPendingPolicyItemsForGroup - As
InstallAllPendingPatchesForGroup for POLICYITEM

---

TABLE 18-continued

---

RemovePolicyItemFromClient - As RemovePatchForClient for POLICYITEM
RemovePolicyItemFromGroup - As RemovePatchFromGroup for POLICYITEM

---

All publications, prior applications, and other documents cited herein are hereby incorporated by reference in their entirety as if each had been individually incorporated by reference and fully set forth.

While the invention has been illustrated and described in detail in the drawings and foregoing description, the same is to be considered as illustrative and not restrictive in character, it being understood that only the preferred embodiments have been shown and described and that all changes and modifications that would occur to one skilled in the relevant art are desired to be protected.

What is claimed is:

1. A computer program product embodied on a non-transitory computer readable medium, the computer program product comprising:

## US 9,100,431 B2

31

code for:

accessing at least one data storage identifying a plurality of mitigation techniques that mitigate effects of attacks that take advantage of vulnerabilities, such that:

each mitigation technique is capable of mitigating an effect of an attack that takes advantage of a corresponding vulnerability, and

each mitigation technique has a mitigation type including at least one of a patch, a policy setting, or a configuration option;

code for:

displaying at least one mitigation technique for mitigating an effect of at least one attack that takes advantage of at least one vulnerability, and

receiving user input for selecting the at least one mitigation technique to be applied for mitigating the effect of the at least one attack that takes advantage of the at least one vulnerability; and

code for:

receiving information in connection with at least one of a plurality of devices, and

identifying an attack in connection with the at least one device that takes advantage of the at least one vulnerability, based on the information;

wherein the computer program product is operable such that, as a result of the user input for selecting the at least one mitigation technique to be applied for mitigating the effect of the at least one attack that takes advantage of the at least one vulnerability, the identified attack is prevented from taking advantage of the at least one vulnerability;

wherein the computer program product is operable such that one or more of the plurality of mitigation techniques is capable of being identified based on an identification of an operating system.

2. The computer program product of claim 1, wherein the computer program product is operable such that the displayed at least one mitigation technique includes at least two mitigation techniques include a firewall option for preventing at least one attack packet of the attack by terminating or dropping the same, and an intrusion detection or prevention option; the computer program product is further operable such that, in response to user input received prior to the attack, the firewall option is capable of being applied to a plurality of different devices for preventing the at least one attack packet at any of the different devices; and the computer program product is further operable such that, in response to additional user input after the attack in connection with a particular single device of the plurality of different devices, the intrusion detection or prevention option is capable of being applied to the particular single device.

3. The computer program product of claim 1, wherein the computer program product is operable such that the displayed at least one mitigation technique includes at least two mitigation techniques include a firewall option for preventing at least one attack packet of the attack by terminating or dropping the same, and an intrusion detection or prevention option; the computer program product is further operable such that, in response to user input prior to the attack, the intrusion detection or prevention option is capable of being applied to a plurality of different devices at the plurality of different devices; and the computer program product is further operable such that, in response to user input after the attack in connection with a particular single device of the plurality of different devices, the firewall option is capable of being applied to the particular single device for preventing the at least one attack packet at the particular single device.

32

4. The computer program product of claim 1, wherein the computer program product is operable such that the one or more of the plurality of mitigation techniques is capable of being identified based on the identification of the operating system in connection with the accessing for the displaying of the at least one mitigation technique, so that, in order to avoid false positives, relevant vulnerabilities prompt mitigation technique user selection among at least two of the mitigation techniques, which involve both firewall and intrusion prevention system actions, for providing diverse mitigation options in connection with the relevant vulnerabilities.

5. The computer program product of claim 1, wherein the computer program product is operable such that the one or more of the plurality of mitigation techniques is capable of being identified based on the identification of the operating system in connection with the accessing for the displaying of the at least one mitigation technique, so that which one or more of the mitigation techniques that are displayed are based on one or more actual vulnerabilities to which the at least one device is actually vulnerable so that only relevant one or more mitigation techniques are displayed for selection by a user for attack mitigation.

6. The computer program product of claim 1, wherein the computer program product is operable such that the user input is capable of being received via at least one user interface for different devices, for allowing different attack mitigation actions including at least one intrusion prevention action and at least one firewall action to be selectively applied to the different devices for different actual vulnerabilities determined to be actually relevant based on the identification of the operating system in connection with the different devices.

7. The computer program product of claim 1, wherein the computer program product is operable such that the displayed at least one mitigation technique includes at least two mitigation techniques including a first mitigation technique that utilizes a firewall action and a second mitigation technique that utilizes an intrusion prevention action.

8. The computer program product of claim 7, wherein the computer program product is operable such that different user input is capable of being received via at least one console for different devices, for allowing different mitigation techniques including the first mitigation technique and the second mitigation technique to be selectively applied by a user to the different devices for different actual vulnerabilities, such that the different user input is capable of resulting in: only the first mitigation technique being selectively applied by the user to at least one first device, only the second mitigation technique being selectively applied by the user to at least one second device, and both the first mitigation technique and the second mitigation technique being selectively applied by the user to at least one third device.

9. The computer program product of claim 7, wherein the computer program product is operable such that the displayed at least one mitigation technique further includes a third mitigation technique that utilizes a policy compliance action, wherein the computer program product is operable such that different user input is capable of being received via at least one console for different devices, for allowing different mitigation techniques including the first mitigation technique, the second mitigation technique, and the third mitigation technique to be selectively applied by a user to the different devices for different actual vulnerabilities, such that the different user input is capable of resulting in: only the first mitigation technique being selectively applied by the user to at least one first device, only the second mitigation technique being selectively applied by the user to at least one second device, and the first mitigation technique, the second mitiga-

## US 9,100,431 B2

33

tion technique, and the third mitigation technique being selectively applied by the user to at least one third device.

10. The computer program product of claim 7, wherein the computer program product is operable such that the first mitigation technique is automatically applied utilizing a first communication from an integrated firewall/intrusion prevention system platform component to firewall-supporting client code, and the second mitigation technique is automatically applied utilizing a second communication from the integrated firewall/intrusion prevention system platform component to intrusion prevention system-supporting client code, where the firewall-supporting client code and the system-supporting client code are part of the same client agent.

11. The computer program product of claim 1, wherein the computer program product is operable such that the information is capable of being used to determine a characterization of a payload.

12. The computer program product of claim 1, wherein the computer program product is operable such that the identification of the operating system is a result of a vulnerability assessment scan capable of a direct query.

13. The computer program product of claim 1, wherein at least one of:

said at least one data storage includes at least one database;  
 said at least one data storage is accessed by at least one of:  
   receiving at least one update therefrom; pulling at least one update therefrom, communicating therewith, or synchronizing therewith;  
 said mitigation techniques include remediation techniques;  
 each mitigation technique has a mitigation type including the patch;  
 each mitigation technique has a mitigation type including the policy setting;  
 each mitigation technique has a mitigation type including the configuration option;  
 each mitigation technique is capable of mitigating the effect of the attack that takes advantage of the corresponding vulnerability, by dropping packets associated with the attack or removing the corresponding vulnerability;  
 said information is capable of being used to determine an intended destination of a connection request; or  
 said information includes a vulnerability identifier;  
 wherein the computer program product is operable for use with at least one NOC server, a data warehouse, and an SDK for allowing access to information associated with at least one vulnerability and at least one remediation technique;  
 and wherein the computer program product is operable for determining which devices have vulnerabilities by directly querying a firmware or operating system of the devices.

14. A computer program product embodied on a non-transitory computer readable medium, the computer program product comprising:

code for:  
 accessing at least one data structure identifying a plurality of mitigation techniques that mitigate effects of attacks that take advantage of vulnerabilities, where:  
   each mitigation technique is capable of mitigating an effect of an attack that takes advantage of a corresponding vulnerability, and  
   each mitigation technique has a mitigation type including at least one of a patch, a policy setting, or a configuration option;

34

code for:

receiving information in connection with at least one of a plurality of devices; and

identifying an attack on the at least one device that takes advantage of at least one of the vulnerabilities, based on the information;

code for:

automatically applying at least two of the plurality of mitigation techniques including at least one first mitigation technique of a first mitigation type and at least one second mitigation technique of a second mitigation type to the at least one device, for mitigating an effect of the attack on the at least one device that takes advantage of the at least one vulnerability;

wherein the computer program product is operable such that the effect of the attack is mitigated by preventing the attack from taking advantage of the at least one vulnerability;

wherein the computer program product is operable such that one or more of the plurality of mitigation techniques is identified based on an identification of an operating system.

15. An apparatus, comprising:

at least one data storage identifying a plurality of mitigation techniques that mitigate effects of attacks that take advantage of vulnerabilities associated with an operating system, where:

each mitigation technique is capable of mitigating an effect of an attack that takes advantage of a corresponding vulnerability, and

each mitigation technique has a mitigation type including at least one of a patch, a policy setting, or a configuration option; and

a computer program product embodied on a non-transitory computer readable medium, the computer program product including:

code for:

displaying at least two of the mitigation techniques for mitigating an effect of at least one attack that takes advantage of at least one vulnerability, and

receiving at least one user input in connection with the at least two mitigation techniques;

code for:

automatically applying the at least two mitigation techniques based on the at least one user input, the at least two mitigation techniques including:

at least one first mitigation technique for utilizing a firewall for attack mitigation, and

at least one second mitigation technique for utilizing an intrusion prevention system for attack mitigation; and

code for:

identifying information in connection with at least one device, and

identifying an attack in connection with the at least one device that takes advantage of the at least one vulnerability, based on the information;

wherein the computer program product is operable such that the identified attack is mitigated utilizing the first mitigation technique for utilizing the firewall for attack mitigation and the at least one second mitigation technique for utilizing the intrusion prevention system for attack mitigation;

wherein the computer program product is operable such that the at least two mitigation techniques are displayed based on an identification of an operating system.

16. The computer program product of claim 1, wherein the computer program product is configured such that the dis-

## US 9,100,431 B2

35

playing of the at least one mitigation technique is supported by a system that includes intrusion prevention functionality for supporting a first mitigation technique and firewall functionality for supporting a second technique mitigation technique, such that the intrusion prevention functionality and the firewall functionality are both supported by a security component of the system that also supports the identification of the attack in connection with the at least one device, the system further capable of receiving actual vulnerability information to conditionally display, as a function of an existence of one or more actual vulnerabilities, one or more of the plurality of mitigation techniques to allow selective utilization of the intrusion prevention functionality and the firewall functionality, so that only relevant mitigation techniques are displayed for selection to reduce false positives in connection with both the intrusion prevention functionality and the firewall functionality.

17. The computer program product of claim 1, wherein the computer program product is configured such that the displaying of the at least one mitigation technique is caused by a system that utilizes router-based functionality for supporting a first mitigation technique and firewall functionality for supporting a second technique mitigation technique.

18. The computer program product of claim 17, wherein the computer program product is configured such that the

36

system is capable of receiving actual vulnerability information to conditionally display, as a function of an existence of one or more actual vulnerabilities, one or more of the plurality of mitigation techniques to allow selective utilization of the router-based functionality and the firewall functionality, so that only relevant mitigation techniques are displayed for selection to reduce false positives in connection with both the router-based functionality and the firewall functionality.

19. The computer program product of claim 14, wherein the computer program product is operable such that the at least one first mitigation technique of the first mitigation type and the at least one second mitigation technique of the second mitigation type utilize different underlying security technology types that are both supported by a same system component that is capable of identifying the attack and preventing the attack from taking advantage of the at least one vulnerability after the at least two mitigation techniques are automatically applied.

20. The computer program product of claim 19, wherein the computer program product is operable such the same system component is further capable of supporting a vulnerability assessment scan for the identification of the operating system.

\* \* \* \* \*